1999 INDEX

1-terabit/s and higher experiments **1**, 230-245
2G *see* Second generation
3G *see* Third generation
3GPP *see* Third-Generation Partnership Project
3GPP2 *see* Third-Generation Partnership Project 2
5ESS® Switch **1**, 26, 284-285, 289, 298 **2**, 98, 101-105
5ESS®-2000 Switch project, communication within **3**, 172-180
7 R/E™ toll/tandem solution (TTS) **4**, 206-210
7 R/E™ Trunk Access Gateway (TAG), network element management architecture for: 7 R/E™ toll/tandem applications **4**, 206-210; conclusion **4**, 222; element agent software architecture **4**, 215-222; introduction **4**, 204-206; TAG capabilities in the packet gateway **4**, 210-211; TAG Element Management System (EMS) **4**, 211-215
7 R/Evolution *see* 7 R/E™
8½, the Plan 9® window system **2**, 146-147
8-ary phase shift keying (8-PSK) **3**, 19-28, 31, 33-35
8-PSK *see* 8-ary phase shift keying
9P protocol **2**, 146

A

ABLE *see* Active Bell Labs Engine
ABM *see* Asynchronous transfer mode (ATM) buffer manager and ATM buffer manager
Abstract Syntax Notation One language (ASN.1) **3**, 122, 128, 131 **4**, 43, 53
Access Interface Platform *see* AnyMedia® Access Interface Platform
Access Interface Unit: AnyMedia® **2**, 98-127; Expansion **2**, 105; Remote **2**, 105
Access technologies, in China (ADSL, APON, FTT*X*, G.Lite, IDLC, HFC, PON, RSU) **1**, 140-141
Access, broadband fiber **1**, 282-299
Access: AnyMedia® Access System **2**, 98-127; challenges **2**, 98-102; cost of **2**, 105-106; development history **2**, 98-106
Accounting management **4**, 168-169
ACML *see* Agent Communication Markup Language
Active Bell Labs Engine **4**, 19
Ad hoc conferencing, in IP Exchange system media mixers **2**, 48
Advanced Optical Networking—Lucent's MONET Network Elements **1**, 145-162
Advanced Technology Demonstration Network: general **1**, 145; MONET East ring agency sites **1**, 150; MONET West ring agency sites **1**, 150; topology with MONET technology **1**, 150
AFM *see* ATM feeder multiplexer
Agent Communication Markup Language (ACML) **4**, 126
Agent extensibility protocol (AgentX) **4**, 114, 131
AgentX *see* Agent extensibility protocol
Agnosticism, Lucent Softswitch protocol **2**, 182, 194
AIP *see* AnyMedia® Access Interface Platform and AnyMedia® Interface Platform
Airloop® technology **2**, 105-106
AIU *see* AnyMedia® Access Interface Unit
Alegria, Carlos A. **1**, 42-57
Alferness, Rod C. **1**, 3-18
Algorithm(s): network reachability under failure scenarios **4**, 157-164; policy-based network load management **4**, 95-108
Aliasing IP addresses **4**, 97-107
AllWave™ fiber **1**, 6, 146, 176, 246, 250, 252, 255-256, 260, 313
ALM *see* ATM layer manager
American National Standards Institute (ANSI) **2**, 96
Amplifier, optical: amplifier control **1**, 201-202; applications **1**, 189-190; dynamic control **1**, 193-200; fundamentals **1**, 188-189; gain flatness **1**, 201; general **1**, 209, 251, 300, 304-306, 310-314, 316-317, 320; introduction **1**, 187-188; noise figure and output power **1**, 200; optical signal-to-noise ratio **1**, 200; performance monitoring and fault location **1**, 202; wideband gain **1**, 190-193
AMW *see* Aurora Management Workbench
Analytical model, performance analysis in switch access systems: birth-death process model **2**, 198-199; limited availability factors **2**, 199-201; retries, incorporating **2**, 201-202
Anderson, Jon **1**, 85-104, 105-124
ANI *see* Automatic number identification
ANSI *see* American National Standards Institute and ANSI
ANSI-41 standard **3**, 9-11, 13, 15-16
ANSI-95 access technology **3**, 6
Antennas, intelligent: CDMA systems **3**, 91-101; introduction **3**, 73; structures and techniques **3**, 73-82; TDMA systems **3**, 82-91
AnyMedia® 5ESS® Switch **1**, 284-285, 289, 298 **2**, 98, 101-105
AnyMedia® Access Interface Platform (AIP) **2**, 98-127
AnyMedia® Access Interface Unit (AIU) **2**, 98-127
AnyMedia® Access System: architectural variations **2**, 120-123; broadband subsystem **2**, 112-116, 118-119, 284, 289; capacity and performance **2**, 122, 124; hardware **2**, 106-116; introduction **2**, 98-106; narrowband subsystem **2**, 108-112, 116-118; OAM&P **2**, 109-116; shelf **2**, 107-116; software **2**, 116-119
AnyMedia® Access System—Providing Solutions for Distribution and Network Independence, The **2**, 98-127
AnyMedia® Express Access Interface Unit (AIU) **1**, 284, 286
AnyMedia® FAST™ (Flexible Access System Terminal) **1**, 284-286, 289 **2**, 105, 107-108
AnyMedia® Flexible Access System Terminal *see* AnyMedia® FAST™
AnyMedia® Interface Platform (AIP) **1**, 282-298
AnyPath architecture: application servers **2**, 78-79; intelligent network (IN) interfaces **2**, 82; service customization **2**, 79-80; system management functions **2**, 82-83; system monitoring and watchdog functions **2**, 83; unified messaging server **2**, 81-82
AnyPath design goals: bridging and network convergence **2**, 77; carrier-class unified messaging **2**, 77; financial goals of service providers **2**, 78; intelligent network (IN) messaging **2**, 77; seamless messaging **2**, 77; service personalization tools **2**, 77-78
AnyPath Unified Messaging System **2**, 71-87
API *see* Application programming interface
APON *see* ATM-based broadband passive optical network
Applet, Java*, for broadband fiber access **1**, 297
Application pack (AP): ADSL **2**, 113-114; broadband **2**, 113-114; broadband fiber access (BFA-AP) **1**, 282-299; combined POTS/ADSL **2**, 120-122; fiber in the loop **2**, 122-123; narrowband **2**, 112; optical-line and controller **2**, 122-123; optical applications **2**, 122-123
Application programming interface **2**, 4
Application server (AS) architecture, modular, in the AnyPath Unified Messaging System **2**, 79
Architectural benefits, IP Exchange system: extensibility **2**, 53-55; load balancing **2**, 55; portability **2**, 55; programmability **2**, 55; reliability **2**, 55; scalability **2**, 55
Architecture, AIP shelf-level hardware **1**, 287-289 **2**, 107-116
Architecture, broadband fiber access **1**, 282-299

ARQ *see* Automatic repeat request
AS *see* Application server
ASN.1 *see* Abstract Syntax Notation One language
ASR *see* Automatic speech recognition
Assess for communications services: coaxial cable access **2**, 16-17; optical fiber access **2**, 17; wireless access **2**, 17-18; wire-loop plant **2**, 14-16
Asynchronous transfer mode (ATM) **1**, 21-26, 28, 30-40, 58, 60, 62, 80-81, 106-113, 115-118, 121, 164-166, 173, 176, 185, 263, 267, 269 **2**, 57-65, 68 **3**, 65 **4**, 7, 11, 250
Asynchronous transfer mode (ATM) buffer manager (ABM) **1**, 292, 295
Asynchronous transfer mode (ATM) integration configuration options: physical interfaces **2**, 36; signaling interfaces **2**, 36-38; voice/data/video traffic consolidation **2**, 38-39; voice telephony over ATM **2**, 38
Asynchronous transfer mode (ATM) integration in the DEFINITY® Enterprise Communications Server (ECS): customer investment protection **2**, 33-36; general **2**, 21-42; integration options **2**, 30-31; port network connectivity **2**, 31-33
Asynchronous transfer mode (ATM) layer manager (ALM) **1**, 292, 295
Asynchronous transfer mode (ATM) networks **1**, 8
AT&T **1**, 145
ATDNet *see* Advanced Technology Demonstration Network
Atlanta™ chip set **2**, 113
ATM buffer manager (ABM) **2**, 113-115
ATM feeder multiplexer (AFM) **2**, 112-114
ATM Forum user-network interface (UNI): 3.1 **2**, 36-38; 4.0 **2**, 36-38
ATM layer manager (ALM) **2**, 113-114
ATM *see* Asynchronous transfer mode and ATM
ATM-based broadband passive optical nework (APON, ATM-PON) **1**, 141 **2**, 125
ATM-PON *see* ATM-based broadband passive optical network
Audio and video conferencing, full-duplex sound **4**, 273
AUDIX® voice mail networking protocol **2**, 83
August, Kit G. **2**, 3-20
Aurora Management Workbench (AMW) **4**, 174
Authentication **2**, 170
Automatic number identification (ANI) **2**, 91
Automatic repeat request **3**, 37-50
Automatic speech recognition (ASR) **2**, 7, 88
Automatic speech recognition, in AnyPath Unified Messaging System **2**, 85
AUTOPLEX® System 1000 Series II Base Station **3**, 88

B

Backplane, AnyMedia® Interface Platform (AIP) **1**, 287-288
Bagga, Yudhveer S. **4**, 18, 190-203
Balachandran, Krishna **3**, 19-36
Ballistic nanotransistor **4**, 273
Bandwidth allocation, dynamic **1**, 105
Bandwidth management, broadband network infrastructure **1**, 19-41
Barnett, W. J., Jr. **2**, 71-87
Bartell, Randy L. **2**, 12, 153-173
BaseWorX® software **4**, 172
Basic rate interface (BRI) **2**, 96
Bauer, Eric J. **2**, 5, 43-56
Baumann, Frank V. **2**, 6, 57-70
BCS *see* Business Communications Systems
Bell Atlantic **1**, 145
Bell Labs Innovation Briefs **1**, 323 **2**, 218-219 **3**, 191-192 **4**, 273-274
Bell Labs 1-terabit/s experiments **1**, 233-234, 236, 238-239, 242
Bellcore *see* Telcordia Technologies
BellSouth **1**, 145
Bergstein, Shalom S. **1**, 42-57
BFA *see* Broadband fiber access
BFA-AP *see* Application pack, broadband fiber access
BGP *see* Border gateway protocol
Bhuyan, Arupjyoti **2**, 209-217
Bieszczad, Andrzej **4**, 18, 109-135
BILLDATS® Data Manager **4**, 239
Billing in IP networks: introduction **4**, 237-239; mediation in IP networks **4**, 239-241; NetCounter architecture **4**, 241-246; NetCounter performance **4**, 246-248; related work **4**, 249-250
Binary phase shift keying (BPSK) **3**, 97
B-ISDN *see* Broadband integrated services digital network
Biswas, Pratik K. **4**, 109-135
Blackwood, Nadine A. **2**, 153-173
BLER *see* Block error rate
Block diagram, broadband fiber access line card **1**, 291-296
Block error rate **3**, 37-50
Blocking probability in CDMA systems **3**, 104-119
Blott, Stephen M. **4**, 19, 237-251
Bluetooth* technology **2**, 10
Bolling, A. Craig **2**, 209-217
Bonenfant, Paul A. **1**, 3-18
BOOTP *see* Bootstrap protocol
Bootstrap protocol (BOOTP) **4**, 246
Border gateway protocol (BGP) **4**, 83
BPSK *see* Binary phase shift keying
Bragg grating, fiber **1**, 212, 217-218, 222, 225-227
Breitbart, Yuri J. **4**, 237-251
BRI *see* Basic rate interface
Bridging router (brouter) **1**, 286-287, 297
Broadband fiber access (BFA): architecture **1**, 282-299; line card hardware **1**, 289-296
Broadband Fiber Access: A Fiber-to-the-Customer Access Architecture **1**, 282-299
Broadband integrated digital services digital network (B-ISDN) **4**, 9
Broadband network functionality support: data services **1**, 22-23; private line services **1**, 22; selective layered bandwidth management (SLBM) **1**, 21-22; voice services **1**, 22
Broadband network infrastructure, integrated architecture: general **1**, 19-41; introduction **1**, 19-20; network design **1**, 30-33; network functionality, support of diverse services **1**, 21-23; network studies, assumptions and tools **1**, 25-30; nodal bandwidth management **1**, 23-25; node architecture alternatives, comparison of **1**, 33-39; summary and conclusions **1**, 39-40
Broadband Technologies **2**, 103
Broadband wireless access, 10- to 42-GHz frequency range **3**, 134-154
Brouter *see* Bridging router
Brunson, Gordon R. **2**, 71-87
Brustoloni, José C. **4**, 237-251
Buchholz, D. Bruce **1**, 282-299
Budka, Kenneth C. **4**, 18, 136-154
Buehrer, R. Michael **3**, 73-103
Buga, Walter **4**, 109-135
Business Communications Systems (BCS) **2**, 21
Business Communications Systems (BCS) architecture: architectural model, abstract view **2**, 26; architectural model, physical view **2**, 26-27; multimedia call model **2**, 24-26
BWM *see* Bandwidth manager
Byers, Charles C. **1**, 282-299

C

C programming language **2**, 149, 151-152
C/C++ programming language **2**, 50-51, 65, 68, 149, 151
Cable television (CATV) **1**, 190, 300, 302-303, 305, 307, 309, 320
Cable, coaxial **2**, 101, 103, 105-106, 113
Cadenza II echo cancellation unit, Lucent Technologies **4**, 219-221
Cajun™ A500 ATM backbone switch **2**, 42
Cajun™ M400 Gate Switch **4**, 47
Cajun™ M770 M-MLS Multilayer Switch **4**, 50, 53
Cajun™ M770 multiservice switch **2**, 42
Cajun™ P550™ Gigabit Ethernet switch **4**, 67-72, 85, 95-108
Cajun™ SMONMaster® switch monitoring software **4**, 50, 53
CajunView™ Plus Network-Management Suite **4**, 50
Call blocking in CDMA systems **3**, 104-119
Call coordinator, Lucent Softswitch **2**, 186-190, 192
Call retry probability in switch access systems **2**, 205-207

Canonical call model, Mantra **2**, 175, 182, 187, 189, 192
Capacity calculations, code division multiple access (CDMA) **3**, 104-119
Carr, David C. **3**, 172-180
Carrier capacity, CDMA **3**, 104-119
Carrier-grade service, in AnyPath Unified Messaging System **2**, 71
Carter, Galen L. **3**, 181-190
CATT *see* China Academy of Telecommunications Technology
CATV *see* Cable television and community antenna television
CBX 500 multiservice switch **2**, 42
CCI *see* Compliant client interface
CDMA Capacity with Added Carriers in a Cellular Network **3**, 5, 104-119
CDMA *see also* Code division multiple access
cdma2000*: general **3**, 80, 92-93, 96-99; radio transmission technology **3**, 6-18; wireless standard **4**, 171, 184-186, 188
cdmaOne* system **3**, 6-18
CDPD *see* Cellular digital packet data
Cell mapping **1**, 163
Cellenium bus **4**, 47
Cellular digital packet data (CDPD) accounting **3**, 60, 63, 65
Cellular network, trunk management **3**, 120-133
Cellular Telecommunications Industry Association (CTIA) **4**, 184
Central office **2**, 104
CF *see* Component function
CFL *see* Component function locator
Challenge handshake authentication protocol (CHAP) **3**, 53, 65, 67
Chan, Paul **4**, 19, 204-224
Chang, Edward S. **4**, 19, 252-272
Channel Loading Independent Performance (CLIP) **1**, 156, 161
Channel-dependent LLC protocol **3**, 44-46
CHAP *see* Challenge handshake authentication protocol
Chatterjee, Ashish K. **4**, 18, 155-170
Chaudhury, Arati **4**, 190-203
Chemicals in VLSI manufacturing **3**, 155-171
Chen, Yi **1**, 125-144, 163-186
China Academy of Telecommunications Technology (CATT) **3**, 6
China Telecom **1**, 125, 130
China, optical fiber networks in **1**, 125-144
CHINANET **1**, 142
ChorusOS* operating system **2**, 116-119
Choy, Kwok-Chien **4**, 18, 171-189
Chraplyvy, Andrew R. **1**, 230-245
Chuah, Mooi Choo **3**, 51-72
CIFS *see* Common Internet file system
CIM *see* Common information model
CIT *see* Craft interface terminal
Class diagram: Interface Definition Language (IDL)* **3**, 131; UML* **3**, 128-131
Clear channel **2**, 209-213
ClearReach™ Data Enhancement **2**, 209-213
CLI *see* Command line interface
CLIP *see* Channel Loading Independent Performance
Clougherty, Mark M. **2**, 10, 98-127
CM *see* Configuration management
CMIP *see* Common management information protocol
CMISE *see* Common management information service element
CNM *see* Customer network management
Coarse wavelength division multiplexing (CWDM) **1**, 300, 304-306, 314, 317, 320
Coaxial cable **2**, 101, 103, 105-106
Code division multiple access (CDMA) **3**, 3, 65-66, 73, 75, 78-80, 91-101
Code division multiple access (CDMA) wireless standards and harmonization, third generation **3**, 6-18
Code division multiple access, system optimization with added carriers **3**, 104-119
Colonell, Jennifer I. **3**, 155-171
COMDAC *see* Common data and control
Command line interface (CLI) **4**, 79, 84-86
Common data and control (COMDAC) **1**, 287-289 **2**, 103, 108-112, 116-124
Common information model (CIM) **4**, 17, 55-74, 80-82, 87, 93
Common Internet file system (CIFS) **2**, 147
Common management information protocol (CMIP) **3**, 120-133 **4**, 8-9, 111-116, 130-132, 177
Common management information service element (CMISE) **1**, 137-138 **3**, 126-127 **4**, 8, 114
Common Object Request Broker Architecture (CORBA*) **1**, 137-138 **3**, 120, 130-132 **4**, 9, 15, 34, 39, 115, 117-120, 123, 131-133, 171, 175-176, 179-180, 185, 188, 191, 193, 199, 201, 206, 212-213, 215-217, 220
Common open policy service (COPS) **4**, 79-93, 95
Common signaling channel (CSC) **2**, 212-213
Communication program, case study of successful implementation: 5ESS® implementation **3**, 176-177; approach and framework **3**, 173-175; future of switching and access solutions **3**, 179; introduction **3**, 172-172; results **3**, 177-179
Communications Applications Group, Lucent Technologies **2**, 81, 85, 86
Communications standards, in IP Exchange systems **2**, 43-56
Community antenna television (CATV) **4**, 13
Compliant client interface (CCI) **1**, 149, 151-154
Component function locator (CFL), MediaXact™ **2**, 165, 167-168
Component functions (CFs), MediaXact™ **2**, 159-172
Computer program, brain's recognition ability **3**, 191
Computer-telephony integration (CTI): applications **2**, 22-23; server, in IP Exchange systems **2**, 47, 55
Configuration management (CM) **3**, 5 **4**, 75-94, 95-108, 165-167
Configuration management, cellular network **3**, 120-133
ConnectReach™ voice/data integrator **2**, 213-216
Conner, Keith F. **3**, 19-36
Containment tree for managed objects **3**, 126
Convergence and diversity in voice and data networks, network management system solution for **4**, 190-203
Convergence of voice and data: AnyMedia® access solutions **2**, 98-127; business drivers **2**, 174-179; ClearReach™ Data Enhancement for **2**, 209-213; Lucent Technologies Softswitch for **2**, 174-195; SLC® ConnectReach™ voice/data integrator for **2**, 213-216
COPS *see* Common open policy service
CORBA* *see* Common Object Request Broker Architecture
Core policy schema **4**, 77-80, 87
Cosky, Michael J. **2**, 88-97
Cost of access **2**, 105-106
Craft interface terminal **1**, 152
CRC *see* Cyclic redundancy-check bits
Cross-phase modulation (XPM) **1**, 254, 257
Crowe, Donald E. 2, 98-127
CSC *see* Common signaling channel
CTI *see* Computer-telephony integration or interface
CTIA *see* Cellular Telecommunications Industry Association
Customer network management (CNM) **4**, 169
CWDM *see* Coarse wavelength division multiplexing
Cyber security profile, Lucent Technologies, development of **4**, 252-272
Cyber security vulnerabilities in Lucent Technologies, correlation of **4**, 252-272
Cyber security vulnerabilities, managing, in large networks: introduction and motivation **4**, 252-272; networking security profile **4**, 258-262; operating system security profile **4**, 262-267; relationships among networking and operating system vulnerabilities **4**, 267-270; sampling plan and data collection **4**, 257; summary and future plans **4**, 270-271
Cyclic redundancy-check bits **3**, 38, 46

D

Damage testing during plasma etching **3**, 167-170

Damascene process **3**, 166, 170
DARPA *see* Defense Advanced Research Projects Agency
Data communications channel (DCC) **4**, 156, 157, 160, 164, 165, 167
Data communications network (DCN) **1**, 146 **4**, 155-170
Data enhancement, ClearReach™ **2**, 209-213
Data Maintenance Operations System (DMOS), Lucent Technologies' trouble ticketing system for network management **4**, 227
Data networks, on-premises **2**, 22
Data router, built-in **2**, 214
Data traffic, transported on traditional switching systems **2**, 197
DataBlitz™ database management system **4**, 176
Daugherty, Thomas H. **1**, 300-322
DCC *see* Data communications channel
DCF *see* Dispersion-compensating fiber
DCN *see* Data communications network
DDM-1000 OC3-EC1 multiplexers, Lucent Technologies **4**, 219-221
DDM-2000 OC3-EC1 multiplexers, Lucent Technologies **4**, 219-221
Decoupled plasma source **3**, 159-160
Defense Advanced Research Projects Agency (DARPA) **1**, 145
Defense Information Systems Agency **1**, 150
DEFINITY® Enterprise Communications Server (ECS) **2**, 21-42 **3**, 181-190
DEFINITY® Enterprise Communications Server (ECS) architecture: distributed switching fabric **2**, 28-29; general **2**, 27; layered architecture **2**, 28
DEFINITY® Enterprise Communications Server (ECS) ATM integration, application examples: ATM-connected distributed call center **2**, 39-41; ATM-connected technology campus **2**, 41
DEFINITY® Enterprise Communications Server (ECS): application examples **2**, 39-41; ATM integration in **2**, 29-36; Business Communications Systems architecture **2**, 24-27; configuration options for ATM integration **2**, 36-39; DEFINITY ECS architecture **2**, 27-29; evolution of multimedia business communications networks **2**, 22-24; summary **2**, 41-42
DEFINITY® Enterprise Communications Server ATM Integration **2**, 4, 21-42
DEFINITY® ProLogix™ Solutions Rapid Development **3**, 5, 181-190
DEFINITY® ProLogix™ solutions, rapid development of: commitment **3**, 182; communications **3**, 188-189; conclusion **3**, 190; hardened requirements **3**, 183; introduction **3**, 181; market segment focus **3**, 181-182; rapid development **3**, 182-188; reuse of existing components **3**, 183-185; teamwork and motivation **3**, 189-190; vendor partnerships **3**, 185-188
Delavaux, Jean-Marc P. **1**, 300-322
Demetrescu, Cristian **3**, 37-50
Demultiplexer(s), for broadband fiber access **1**, 292, 295
DEN *see* Directory enabled networks
Denison, Brett A. **4**, 19, 225-236
Dense wavelength division multiplexing (DWDM) **1**, 58, 301-302, 304, 306, 310 **2**, 17, 219
Dense wavelength division multiplexing (DWDM): example network **4**, 156, 159; optical supervisory channel **4**, 156-157; transport network **1**, 163-167, 170-171, 173-177, 183, 185, 262-266
Device server(s): in IP Exchange systems **2**, 43-56; in Lucent Softswitch **2**, 186-192
DHCP *see* Dynamic host configuration protocol
DIAMETER **4**, 82, 85, 95
Differential quaternary phase shift keying (DQPSK) **3**, 20, 83-84, 86, 88
Differentiated services **1**, 105
Digital cross connect **1**, 133-137
Digital Loop Carrier Solutions for Voice and Data Networks **2**, 209-217
Digital loop carrier(s): AnyMedia® Access System **2**, 98-127; ClearReach™ Data Enhancement for **2**, 209-213; historical development of **2**, 102-103; SLC® ConnectReach™ voice/data integrator for **2**, 213-216; SLC® Series 5 Carrier System **2**, 102, 112; SLC®-96 subscriber loop carrier **2**, 102; SLC®-2000 Access System **2**, 102, 112, 209-217; solutions for voice and data networks **2**, 209-217
Digital subscriber line access multiplexer (DSLAM) **2**, 105, 120
DiPasquale, Richard J. **4**, 136-154
Directories, use of **4**, 75-94
Directory coordinator, Lucent Softswitch **2**, 186-187, 190-192
Directory enabled networks (DEN) **4**, 15, 55-74, 80, 89
Directory-Hosted Network Management Information Model: A CIM/DEN Implementation, A **4**, 17, 55-74
DISA *see* Defense Information Systems Agency
Dispersion, polarization mode **1**, 248-250
Dispersion-compensating fiber (DCF) **1**, 248, 257
Dispersion-shifted fiber (DSF) **1**, 247-248, 251, 254
Dispersion-shifted fiber *see also* Fiber, dispersion shifted
Dispersion-unshifted fiber (USF) **1**, 247-248, 251-252, 254-257, 260
Distributed communications in the enterprise **2**, 43-56
Distributed computing architecture, advanced, in IP Exchange systems **2**, 43
Distributed Management Task Force (DMTF) **4**, 55, 79, 82, 85, 90-93
Distributed named pipes, in IP Exchange device servers **2**, 44
Distributed system management **4**, 55-74
Dixson, Kimberly A. **1**, 42-57
DLC *see* Digital loop carrier(s)
DMOS *see* Data Maintenance Operations System
DMTF *see* Distributed Management Task Force
DNS *see* Domain name system
Domain name system (DNS) **4**, 83, 86, 89, 92
Doshi, Bharat T. **1**, 58-84, 85-104 **2**, 14, 197-208
DQPSK *see* Differential quaternary phase shift keying
Dravida, Subrahmanyam **1**, 58-84, 85-104 2, 197-208
DS1 frame structure **2**, 210-213
DS1/E1 remoting option **2**, 33
DSF *see* Dispersion-shifted fiber and fiber, dispersion shifted
DSLAM *see* Digital subscriber line access multiplexer
DTMF *see* Dual tone multiple frequency
Dual tone multiple frequency (DTMF) **2**, 96
DWDM *see* Dense wavelength division multiplexing/multiplexer
DXC *see* Digital cross connect
Dynamic bandwidth allocation **1**, 105
Dynamic host configuration protocol (DHCP) **4**, 83, 86, 89, 92, 239-240, 242, 245-246, 249

E

EAIU *see* Access Interface Unit, Expansion
Economics: access vs. bandwidth **2**, 105-106; ClearReach™ Data Enhancement vs. common signaling channel **2**, 212-213
ECS *see* Enterprise Communications Server
ECSD *see* Enhanced Circuit-Switched Data
EDFA *see* Erbium-doped fiber amplifier
EDGE *see* Enhanced Data rates for GSM Evolution
EDRU *see* Enhanced digital radio unit
Eggenschwiler, Dominik **2**, 153-173
EGPRS *see* Enhanced General Packet Radio Service
EIA *see* Electronic Industries Association
Ejzak, Richard P. **3**, 19-36
Electron cyclotron resonance plasma source **3**, 158-160, 166
Electronic commerce (EC) **2**, 153-173, 174
Element management **1**, 137-138
Element management software (EMS) **2**, 150
Element management system (EMS) **4**, 7, 157-164

EMS *see* Element management software and element management system
Encapsulating security protocol (ESP) **3**, 60
Engineering Large SONET/SDH Management Networks **4**, 18, 136-154
Engineering traditional switching systems for a mix of traffic **2**, 197-207
Enhanced Circuit-Switched Data (ECSD) **3**, 19
Enhanced Data rates for GSM Evolution (EDGE) **3**, 19
Enhanced digital radio unit (EDRU) **3**, 73, 88
Enhanced General Packet Radio Service (EGPRS) **3**, 3, 19-36
Enhanced General Packet Radio Service (EGPRS) radio link control: coded MAC header formats for 8-PSK **3**, 24-26; coded MAC header formats for GMSK **3**, 26-28; introduction **3**, 19-21; overhead and peak throughput computation **3**, 24; proposed segmentation scheme **3**, 21-24; simulation results **3**, 28-33; summary of standard **3**, 33-35
Enhanced port network connectivity (PNC) **2**, 21
Erbium-doped fiber amplifier (EDFA): amplifier control **1**, 201-202; applications **1**, 189-190; dynamic control **1**, 193-200; fundamentals **1**, 188-189; gain flatness **1**, 201; general **1**, 5, 209, 251, 300, 304-306, 310-314, 316-317, 320; introduction **1**, 187-188; noise figure and output power **1**, 200; optical signal-to-noise ratio **1**, 200; performance monitoring and fault location **1**, 202; wideband gain **1**, 190-193
Erfani, Shervin **4**, 3-22
Erlang call blocking formulas **2**, 203, 207
Erlang B model and multiclass model **3**, 104-105
ESP *see* Encapsulating security protocol
Etching, plasma **3**, 155-171
ETSI *see* European Telecommunications Standards Institute
European Telecommunications Standards Institute (ETSI) **2**, 96 **3**, 21, 33
Evolution of China's Optical Fiber Networks, The **1**, 125-144
Evolution of multimedia business communications networks: converging network environment **2**, 22-23; endpoint and server access customer value **2**, 24; today's environment **2**, 22
Extensible Markup Language (XML) **2**, 44, 45, 56
Extensible Network and Application Management Instrumentation (XNAMI) **4**, 19

F

Facsimile over Internet protocol (IP): choice of transport protocol **2**, 131-132; introduction **2**, 128-131; reliability criteria **2**, 132-143
Failure and performance degradation, transport networks **1**, 105
Failure of calls in CDMA systems **3**, 104-119
Failure, analysis of network **4**, 157-164
FAST™ *see* AnyMedia® Flexible Access System Terminal
Fatehi, Mohammad T. **1**, 163-186
Fault management **4**, 157-165
Fault, configuration, accounting, performance, and security (FCAPS) management, for the management communications network **4**, 155-170
Fault, configuration, accounting, performance, and security (FCAPS) **4**, 7
FCAPS *see* Fault, configuration, accounting, performance, and security
FDD *see* Frequency division duplex
FEC *see* Forward error correction
Feedgases for plasma etching **3**, 160-162, 165, 167
Feldman, Robert D. **1**, 300-322
Fiber Bragg grating **1**, 212, 217-218, 222, 225-227
Fiber distribution frame **1**, 296
Fiber exhaustion problem **1**, 163-186
Fiber in the loop (FITL): AnyMedia® Access System for **2**, 98-127; economics **2**, 105-106; host digital terminal for **2**, 122-123; Multi-Service Distant Terminal (MSDT) for **2**, 102; SLC®-2000 Access System for **2**, 209-217; Switched Digital Broadband Access System for **2**, 103
Fiber management, for broadband access **1**, 296
Fiber to the business **1**, 285-287
Fiber to the cabinet (FTTCab) **1**, 300-301
Fiber to the curb (FTTC) **1**, 300-322 **2**, 101, 103, 106, 122
Fiber to the home (FTTH) **1**, 300-322 **2**, 98, 101, 106, 122
Fiber to the town (FTTT) **1** 136, 142
Fiber to the village (FTTV) **1** 136, 142
Fiber to the zone (FTTZ) **1**, 142
Fiber, cable routes in China **1**, 127
Fiber, dispersion-shifted **1**, 128
Fiber, nonzero dispersion-shifted **1**, 128
Fiber, selection considerations **1**, 128
Fiber, single mode **1**, 128
FiberVista system: architecture **1**, 303-313; component issues **1**, 316-318; features **1**, 302-303; general **2**, 105-106; introduction **1**, 300-302; study of impairments **1**, 318-320; test-bed results **1**, 313-316
FiberVista: An FTTH or FTTC System Delivering Broadband Data and CATV Services **1**, 300-322
FIFO *see* First-in, first-out
File transfer protocol (FTP) **2**, 88
File transfer protocol (FTP), policy-based service **4**, 106
FIPA *see* Foundation for Intelligent Physical Agents
First-in, first-out (FIFO) buffer, for broadband fiber access **1**, 292, 294
FITL *see* Fiber in the loop
Flexent™ Wideband Radio **3**, 192
Folliard, Karen A. **3**, 172-180
Forward error correction (FEC) **2**, 134, 137-141
Foundation for Intelligent Physical Agents (FIPA) **4**, 117-121, 123-124, 126-127, 131
Four-wave mixing (FWM) **1**, 254, 256-257
Frame delineation **1**, 85-104
Frame error rate, CDMA **3**, 104-119
Frame throughput in GSM **3**, 37-50
Frame transfer delay in GSM **3**, 37-50
Frequency division duplex (FDD) **3**, 3
FSAN *see* Full Services Access Network Consortium
FTP *see* File transfer protocol
FTT... *see* Fiber to the ...
Fujitsu 1-terabit/s experiments **1**, 233-235
Full Services Access Network Consortium (FSAN) **1**, 301, 308, 317
Furman, Daniel S. **2**, 7, 88-97
FWM *see* Four-wave mixing

G

G.652 *see* Fiber, single-mode
G.653 *see* Fiber, dispersion-shifted
G.655 *see* Fiber, nonzero dispersion-shifted
G.711 protocol **2**, 43, 44, 47, 48, 56
G.729 protocol **2**, 38
G.729A protocol **2**, 43, 47, 52, 56
G.774 *see* Network management
G.Lite **1**, 141 **2**, 105, 114, 120
Garg, Vijay K. **3**, 120-133
Gasman, Charles R. **4**, 95-108
Gate electrodes, manufacture of **3**, 162-164
Gateway, media/trunking/access **2**, 178-189
Gateways, service provider, Lucent Technologies: PacketStar™ Gateway 1000 (PM4) **2**, 50; ITS-SP (Internet telephony server, service provider) **2**, 50
Gaussian minimum shift keying (GMSK) **3**, 19-28, 33-35
GDMO *see* Guidelines for the definition of managed objects
General flow control (GFC) logic, for broadband fiber access **1**, 292, 294-295
General Packet Radio Service (GPRS) **3**, 3, 19, 21, 60, 65
General Packet Radio Service (GPRS), layer protocols **3**, 37-50
General Packet Radio Service-136 (GPRS-136) **3**, 19-21
Geolocation technology **2**, 218
Gesture technology **2**, 8
GFC *see* General flow control
Gigabit Ethernet **4**, 68-70, 97, 106
Gigabit Internet protocol (IP) transport, solutions: classical IP over ATM over SONET **1**, 108; IP directly over SONET **1**, 108-111; other approaches

1, 112-113; simplified data link **1**, 111-112
Giles, C. Randy **1**, 207-229
Giovannetti, Federico **4**, 19, 225-236
Global positioning system (GPS) **2**, 218
Global System for Mobile Communications (GSM) **2**, 83-84 **3**, 3, 19, 21, 24, 28, 33-35, 60, 192
Global System for Mobile Communications (GSM), GPRS layer protocols **3**, 37-50
GMSK *see* Gaussian minimum shift keying
GoS *see* Grade(s) of service
Goudreault, Robert A. **1**, 19-41
GPRS *see* General Packet Radio Service
GPS *see* Global positioning system
GR-1129 protocol **2**, 83-84
GR-1129 *see also* Telcordia Technologies Generic Requirements
Grade of service (GoS): data traffic effects **2**, 197, 207; metrics **2**, 197-207
Gramaglia, Thomas R. **4**, 237-251
Graphical system interface (GSI), for AnyMedia® Access System **2**, 116
Graphical user interface (GUI), for broadband fiber access **1**, 297
Graphical user interface **1**, 153, 157
Growth projections, China **1**, 138-140
GSI *see* Graphical system interface
GSM *see* Global System for Mobile Communications
GUI *see* Graphical user interface
Guidelines for the definition of managed objects (GDMO) **3**, 122, 127-132 **4**, 8-9, 114-115, 177

H

H.110 protocol **2**, 85
H.261 protocol **2**, 43
H.320 protocol **2**, 24-25, 39
H.323 protocol **2**, 24-25, 27, 43, 56, 83-84, 128, 178, 182-184, 188, 190
Halkyard, Martin S. **4**, 171-189
Harmonization in wireless standards, code division multiple access (CDMA), third generation **3**, 6-18
Harshavardhana, P. **1**, 19-41, 58-84
Hauser, Oded **1**, 58-84
HDLC *see* High-level data link control
HDTV *see* High-definition television
Helical resonator plasma source **3**, 158-160, 166
Helicon plasma source **3**, 158-160, 166
Hernandez-Valencia, Enrique J. **1**, 85-104 **3**, 51-72
HFC *see* Hybrid fiber-coax
HFC-2000® hybrid fiber-coax system **2**, 103, 106
High-Capacity Lightwave Transmission Experiments **1**, 230-245
High-definition television (HDTV) **1**, 307
High-k dielectric materials **3**, 166, 170
High-level data link control (HDLC) **2**, 131, 134, 137
High-speed packet networks **1**, 85-104
Hiller, Ronald G. **4**, 16, 23-41
Hinterlong, Stephen J. **1**, 282-299
Hird, Charleen E. **4**, 190-203
Ho, L. Lawrence **4**, 16, 23-41
Home PNA technology **2**, 5, 10
Hossain, Ashfaq **4**, 18, 95-108
Host terminal: AnyMedia® Access System as **2**, 101, 120-123; SLC®-2000 Access System as **2**, 214
How to Implement a Successful Communication Program: A Case Study **3**, 5, 172-180
Howard, Kenneth W. **2**, 21-42
HP OpenView* Network Node Manager (NNM) **4**, 227, 229, 232
HTML *see* HyperText Markup Language
HTTP *see* Hypertext transport protocol
Huang, Steel T. **3**, 172-180
Huensch, George D. **1**, 282-299
Hunt, Christoper J. **1**, 42-57
Hybrid fiber coax (HFC) **4**, 13
Hybrid fiber-coax (HFC) networks **1**, 300, 302-305, 309, 312, 320 **2**, 103, 105-106
HyperText Markup Language (HTML) **2**, 44, 74 **4**, 115-116
HyperText transport protocol (HTTP) **2**, 50, 56, 83-84 **4**, 115, 239, 242, 244
Hypertext transport protocol (HTTP), policy-based service **4**, 95-108

I

I.610 **2**, 38 **3**, 57
IAD *see* Integrated access device
IAS *see* Internet application server
IBM *see* International Business Machines
IDL *see* Interface Definition Language (IDL)*
IDLC *see* Integrated digital loop carrier
IEC *see* International Electrotechnical Commission
IEEE *see* Institute of Electrical and Electronics Engineers
IETF *see* Internet Engineering Task Force
IFP *see* Internet facsimile protocol
IIOP* *see* Internet inter-ORB protocol
IL *see* Internet link
Image searching **2**, 170
IMAP4 *see* Internet message access protocol, version 4
Impact of an Integrated Architecture for Bandwidth Management in a Broadband Network Infrastructure **1**, 19-41
IMT-2000 standards **3**, 6-10, 12
IN *see* Intelligent network
INAP *see* Intelligent network application protocol
Inductively coupled plasma source **3**, 155, 158-160, 168-170
Inferno® operating system **2**, 146-148, 150, 152 **4**, 34, 132
InfernoSpaces™ system **2**, 152
Institute for Plastics Innovation (IPI) **3**, 192
Institute of Electrical and Electronics Engineers (IEEE): 802.x **2**, 23-24, 26-27, 36; packet tagging schemes **4**, 48
Integrated access device (IAD) **2**, 101, 120-121
Integrated architecture, broadband network infrastructure: general **1**, 19-41; introduction **1**, 19-20; network design **1**, 30-33; network functionality, support of diverse services **1**, 21-23; network studies, assumptions and tools **1**, 25-30; nodal bandwidth management **1**, 23-25; node architecture alternatives, comparison of **1**, 33-39; summary and conclusions **1**, 39-40
Integrated circuits, manufacture **3**, 155-171
Integrated digital loop carrier (IDLC) **1**, 140-141 **2**, 209-217
Integrated Network Design Tools (INDT) **1**, 29-30
Integrated services digital network (ISDN) **4**, 9
Intelligent agents: agent-based approach to network management **4**, 116-129; comparative analysis of network management systems **4**, 129-133; current approaches to network management **4**, 112-116; introduction **4**, 109-112
Intelligent Antennas for Wireless Communications—Uplink **3**, 4, 73-103
Intelligent antennas: CDMA systems **3**, 91-101; introduction **3**, 73; structures and techniques **3**, 73-82; TDMA systems **3**, 82-91
Intelligent Messaging Architecture, in AnyPath Unified Messaging System **2**, 85
Intelligent network application protocol (INAP) **2**, 83
Intelligent networking (IN) capability, in AnyPath Unified Messaging System **2**, 71
Interactive voice response (IVR) **2**, 89
Interface Definition Language (IDL)* **3**, 120, 130-132 **4**, 118, 175, 180, 185, 188
InterfaceTopN proposal **4**, 51-53
Interim Standard *see* IS
Intermediate system to intermediate system (IS-IS) protocol **1**, 54
International Business Machines (IBM) **1**, 173
International Electrotechnical Commission (IEC) **1**, 250
International Organization for Standardization (ISO) **2**, 148
International Telecommunication Union (ITU) **1**, 202, 251, 265 **3**, 6-18 **4**, 114
International Telecommunication Union–Telecommunication Standardization Sector **4**, 8
International Telecommunication Union—Telecommunication Standardization Sector (ITU-T): G.711 **2**, 43, 44, 47, 48, 56; G.729 **2**, 38; G.729A **2**, 43, 47, 52, 56; H.110 **2**, 85; H.261 **2**, 43; H.320 **2**, 24-25, 39; H.323 **2**, 24-25, 27, 43, 56, 83-84, 128, 178, 182-184, 188, 190; I.610

2, 38; Q.931 **2**, 182-183, 186-188, 193; Q.2931 **2**, 38, 182, 186, 188; T.30 **2**, 128, 131-132, 134-136, 144; T.38 **2**, 43, 137-138; V.17 **2**, 131, 133, 143; V.21 **2**, 131, 134, 137; X.700 series of recommendations **4**, 8
Internet application servers (IASs) **2**, 78-82
Internet Engineering Task Force (IETF) **1**, 315 **3**, 51, 53-54, 56-58, 60-61, 63-64, 66, 68 **4**, 9, 42-43, 48-53, 59, 77-78, 86-87, 90, 93, 184, 246
Internet Engineering Task Force (IETF) protocols: media gateway control protocol (MGCP) **2**, 178, 182-186, 188-189; real-time transport protocol (RTP) **2**, 179, 182-184, 188, 193; session initiation protocol (SIP) **2**, 178, 182-184, 188, 190-191
Internet facsimile protocol (IFP) **2**, 137, 140-142
Internet Inter-ORB protocol (IIOP*) **3**, 131-132 **4**, 193
Internet link (IL) **2**, 148
Internet message access protocol, version 4 (IMAP4) **2**, 83-84
Internet networks: CHINANET **1**, 142; Multimedium **1**, 142
Internet protocol (IP) **1**, 8, 13, 15, 21-26, 28, 30-36, 38-40, 58, 60, 62, 80-81, 263, 269 **2**, 3, 5, 43-56, 57-58, 60-65, 128-132, 137, 140, 144, 148-149 **4**, 42, 49-50, 95-108, 156-157, 166, 168, 169
Internet protocol (IP) device control protocol (IPDC) **2**, 178, 182-188, 193
Internet protocol (IP) facsimile: choice of transport protocol **2**, 131-132; introduction **2**, 128-131; reliability criteria **2**, 132-143
Internet protocol (IP) optical networking, protocols and architectures: conclusions and future directions **1**, 122-123; gigabit IP transport, solutions toward **1**, 108-113; Internet network architecture, today's **1**, 106-107; introduction **1**, 105; IP backbone network evolution issues **1**, 107; IP optical networking, evolution toward **1**, 113-115; IP/wavelength division multiplexing (WDM) routing **1**, 118-121; network control and management in IP optical networks **1**, 116-118; network resilience and survivability **1**, 121-122; packet over wavelength solutions **1**, 115-116
Internet protocol (IP) routers, data applications in interconnecting backbones **1**, 105
Internet protocol (IP), policy-based management **4**, 75-94
Internet protocol (IP): general **3**, 64-66; IP over ATM **1**, 141-142; IP over optics **1**, 141-142; IP over SDH **1**, 141-142; mobile **3**, 51, 53-55, 57-63, 70-71; secure **3**, 51, 53-55, 58-62, 65, 70
Internet security association and key management protocol (ISAKMP) **3**, 58, 60, 62
Interoperability **1**, 13-15
Introduction to Future Communications Services and Access, An **2**, 3-20
Introduction to Plasma Etching for VLSI Circuit Technology, An **3**, 5, 155-171
INTUITY™ multimedia messaging system **4**, 85-86
INTUITY™ messaging **2**, 27
IP aliasing **4**, 97-107
IP Exchange system, architectural benefits of: extensibility **2**, 53-55; load balancing **2**, 55; portability **2**, 55; programmability **2**, 55; reliability **2**, 55; scalability **2**, 55
IP Exchange systems **2**, 43-56
IP Exchange systems, architecture: administrator complex **2**, 46, 50; call complex and feature applets **2**, 49-50; device server **2**, 47-48; distributed namespace technology **2**, 45-47; general **2**, 44-45; logical topology **2**, 50; media mixer **2**, 48-49; software strategy **2**, 50-51
IP Exchange systems: architectural benefits **2**, 53-55; architecture **2**, 44-51; call processing example **2**, 52-53; introduction **2**, 43; summary **2**, 55-56; technical approach **2**, 43-44
IP Exchange Systems—Redefining Distributed Communications in the Enterprise **2**, 5, 43-56
IP ExchangeAdapter™ system **2**, 44, 51
IP ExchangeComm™ system **2**, 43, 44, 51
IP ExchangeLink™ system **2**, 43, 44, 51
IP Network Configurator **4**, 19
IP *see also* Internet protocol
IPDC *see* Internet protocol (IP) device control
IPI *see* Institute for Plastics Innovation
IPSEC *see* Secure Internet protocol
IS-136 **3**, 19, 80, 83, 88-89
IS-2000 CDMA access technology **3**, 6-18
IS-54 **3**, 83
IS-95 **3**, 92-94, 101, 104
ISAKMP *see* Internet security association and key management protocol
ISDN *see* Integrated services digital network
IS-IS *see* Intermediate system to intermediate system
ISO *see* International Organization for Standardization
ITU *see* International Telecommunication Union
ITU-T *see* International Telecommunication Union—Telecommunication Standardization Sector
IVR *see* Interactive voice response

J

Jackman, Neil A. **1**, 262-281
Jain, Aridaman K. **4**, 252-272
Jain, Rajnish **4**, 19, 204-224
Java Compiler Compiler* (JavaCC) **4**, 59, 63
Java Naming and Directory Interface* (JNDI) **4**, 59, 71-72
Java* application code, AnyPath messaging platform **2**, 80
Java* programming language **2**, 49-51, 55, 56, 149, 151-152
Java* software **4**, 34-35, 39, 119
Java* source code model implementation **4**, 55-74
Java,* used for broadband fiber access **1**, 297
JavaCC *see* Java Compiler Compiler*
Javitt, Kimerie W. **2**, 98-127
Jeske, Daniel R. **2**, 197-208
JNDI *see* Java Naming and Directory Interface*
Johnson, Steven R. **1**, 145-162
Joint Photographic Expert Group (JPEG) **2**, 64-65
JPEG *see* Joint Photographic Experts Group

K

Kemmerer, Fred C. **2**, 98-127
Kenney, Ann M. **3**, 172-180
Khoe, Hoo-Yin **2**, 209-217
Kinetic weld **3**, 191
Kogiantis, Achilles G. **3**, 73-103
Korotky, Steven K. **1**, 262-281
Korth, Henry F. **4**, 237-251
Krishnamoorthy, Shankar **4**, 171-189
Kristol, David M. **4**, 237-251
K-weld *see* Kinetic weld

L

L2F protocol *see* Layer 2 forwarding protocol
L2TP *see* Layer 2 tunneling protocol
La Roche, Humberto J. **1**, 163-186
Label distribution protocol (LDP) **3**, 56
LAG *see* Link aggregation group
Lakshmi-Ratan, Ramnath A. **2**, 13, 174-195
LAN *see* Local area network
LAN Systems Group (LSG), in Israel (formerly LANNET) **4**, 42, 47, 52-54
Language filter **2**, 170
LANNET **4**, 42, 47, 52-54
Larsen, Jacob Z. **1**, 163-186
Lawrence, Victor B. **2**, 3-20 **4**, 3-22
Layadi, Nace **3**, 155-171
Layer 2 forwarding (L2F) protocol **3**, 51
Layer 2 tunneling protocol (L2TP) **3**, 51, 54, 63-68, 70-71
Layering and partitioning model, network **1**, 130-132
Layering, AnyMedia® software **2**, 116-119
LCDS *see* Lucent Communication Directory Server
LCP *see* Link control protocol
LDAP data interchange format (LDIF) **4**, 63
LDAP *see* Lightweight directory access protocol

LDIF *see* LDAP data interchange format
LDP *see* Label distribution protocol
Learning curve, for network technology **2**, 178
Lee, John Tseng-Chung **3**, 155-171
Lee, Ted C. **4**, 190-203
LHT *see* Long holding time
Liao, Robert H. **4**, 237-251
Lightwave transmission experiments, high capacity **1**, 230-245
Lightweight directory access protocol (LDAP) **2**, 81, 83 **4**, 15, 57-59, 63, 71, 74, 78-95
$LiNbO_3$ *see* Lithium niobate
Lindemulder, Charles R. **3**, 181-190
Line card, broadband fiber access **1**, 282-299
Link aggregation group (LAG) **4**, 46
Link control protocol (LCP) **3**, 65, 67
Link failure and determination of reachability **4**, 157-164
Link scramblers: point-to-point protocol (PPP)/high-level data link control (HDLC) scrambler **1**, 95-97; simple data link (SDL) scrambler **1**, 97-98
Linux* operating system **4**, 100-102
Lithium niobate **1**, 150, 157, 159
Liu, Shang-chieh **3**, 73-103
LLC *see* Logical link control
LLC-MAC Analysis of General Packet Radio Service in GSM **3**, 3, 37-50
Load management **4**, 95-108
Local area network (LAN) management **4**, 42-54,155-170
Local area network **1**, 157
Logical link control (LLC) **3**, 3, 21, 24, 32, 37-50
Long-holding-time (LHT) traffic in switch access systems **2**, 198, 203-207
Low-k dielectric materials **3**, 166, 170
LSG *see* LAN Systems Group
Lucent Communication Directory Server (LCDS) **2**, 191-192
Lucent Direct® prototype **2**, 171-172
Lucent FT-2000 OC-48 Lightwave System **1**, 147
Lucent Intelligent Assistant (Lucy) **2**, 88-97
Lucent Intelligent Network Agent (LucINA) **4**, 109, 112, 119-124, 133
Lucent IP Exchange technology **2**, 5
Lucent Technologies Communications Applications Group **2**, 81, 85, 86
Lucent Technologies Network Vision **1**, 3
Lucent Technologies Softswitch—Realizing the Promise of Convergence, The **2**, 13, 174-195
Lucent Technologies' cyber security profile, development of **4**, 252-272
Lucent Technologies' intranet, cyber security **4**, 252-272
Lucent's network vision: ATM core network **4**, 11; broadband access **4**, 12; IN/SS7 network **4**, 11; IP core network **4**, 11; network of networks **4**, 10
LucINA *see* Lucent Intelligent Network Agent
Lucy *see* Lucent Intelligent Assistant
Ludwig and Turina model **3**, 38, 41, 45, 48-49

M

MAC *see* Media access control
Macey, Christopher J. **4**, 16, 23-41
MacGregor, Julie A. **3**, 172-180
MAGIC project **2**, 61
Magill, Peter D. **1**, 300-322
Magnetically enhanced reactive ion etcher **3**, 158-159, 161
Malek, Manu **4**, 3-22, 109-135
MAN *see* Metropolitan area network
Managed object format (MOF) **4**, 55-74
Managed object instance **3**, 123-126
Management communications network (MCN) **4**, 18, 155-170
Management information base (MIB) **4**, 8, 43-52, 57, 64, 82-88
Management information tree **3**, 123, 126, 130
Management networks, engineering large SONET/SDH **4**, 136-154
Management networks, large SONET/SDH, engineering: conclusions **4**, 152-153; introduction **4**, 136-138; making the operations network more robust **4**, 143-147; operations network **4**, 138-141; stress reduction in **4**, 141-143; testing large SONET/SDH operations networks **4**, 147-152
Management of Heterogeneous Networks with Intelligent Agents **4**, 18, 109-135
Management system (MS) **4**, 155-170
Management, in fault, configuration, accounting, performance, and security (FCAPS) **4**, 155-170
Managing Cyber Security Vulnerabilities in Large Networks **4**, 19, 252-272
Managing the Management Communications Network in Optical Transport Systems **4**, 18, 155-170
Manchester, James S. **1**, 85-104, 105-124
Mantra canonical multi-party call model **2**, 175, 182, 187, 189-190, 192
Mantra system **2**, 152
MAP *see* Mobile application part
Martin, Clifford E. **4**, 237-251
MASIF *see* Mobile agent system interoperability facilities
Massachusetts Institute of Technology, The **3**, 191
Matragi, Wassim A. **1**, 85-104
MCI, backbone OC-3 links **1**, 110
MCN *see* Management communications network
MCNC *see* Microelectronics Center of North Carolina
Media access control (MAC) **3**, 21, 23-28, 37-50, 56 **4**, 3, 96-107, 245
Media gateway control protocol (MGCP) **2**, 178, 182-186, 188-189
MediaBuilder platform: architecture **2**, 60-65; initial approach and evolution **2**, 58-60; introduction **2**, 57-58; pilot experiences **2**, 68-69; software design **2**, 66-68
MediaBuilder: A Next-Generation Multimedia Service Creation and Deployment Platform **2**, 6, 57-70
MediaTraX™ technology **2**, 5, 11
MediaXact™ System: component functions **2**, 169-171; conceptual description **2**, 156-157; example systems **2**, 171-172; platform framework **2**, 162-169; requirements **2**, 153-156; software architecture **2**, 157-171
MediaXact™ System—A Framework for Personalized Electronic Commerce Services, The **2**, 13, 153-173
Merge device, Lucent Softswitch **2**, 189
MERIE *see* Magnetically enhanced reactive ion etcher
MESH *see* Multimedia services on the electronic superhighway
Messaging Link™, Lucent Technologies network gateway product **2**, 83-84
Metal oxide semiconductor (MOS) **3**, 155-171
Metallic distribution shelf-2 (MDS-2) **2**, 112
Metro interoffice (IOF) ring node architecture: building blocks of **1**, 177-179; general **1**, 176; optical add/drop multiplexers (OADMs) **1**, 179-183; optical amplifiers **1**, 179
Metro Optical Networking **1**, 163-186
Metro optical networking market: dense wavelength division multiplexing (DWDM) **1**, 165-166; metro DWDM market size **1**, 167-168; metro market development **1**, 167; value proposition for DWDM **1**, 166-167
Metro optical networking: introduction **1**, 163-165; market **1**, 165-168; metro access rings **1**, 183-185; metro interoffice (IOF) ring node architecture **1**, 176-183; optical transport network considerations **1**, 171-176; ring architectures **1**, 168-171; summary **1**, 185
Metro optical ring architectures: path-in-lambda architecture **1**, 170-171; path-in-line architecture, SONET/SDH rings **1**, 168-170; transport consolidation **1**, 168
Metropolitan area network **1**, 146
MGCP *see* Media gateway control protocol
MIB *see* Management information base
Microelectronics Center of North Carolina (MCNC) **1**, 183
Microsoft common Internet file system (CIFS) **2**, 147
Mikkelsen, Benny P. **1**, 262-281
MIME *see* Multi-purpose Internet mail extension
Ministry of the Information Industry (China) **1**, 125, 130
Mission critical **1**, 286-287
MMCX *see* Multimedia Communications Exchange

Mobile agent system interoperability facilities (MASIF) **4**, 117-119, 123
Mobile application part (MAP) **2**, 83-84
Mobile Internet protocol (mobile IP) **3**, 51, 53-55, 57-63, 70-71
Mobile IP *see* Mobile Internet protocol
Mobile power requirements, CDMA **3**, 104-119
Mobile switching center, trunk management **3**, 120-133
Mobile Virtual Private Dial-Up Services **3**, 4, 51-72
Mobile virtual private dial-up services: comparison of alternatives **3**, 68-71; introduction **3**, 51-54; mobile IP-based solutions **3**, 57-63; PPP-based solutions **3**, 63-68; wireless virtual dial-up service model **3**, 54-57
Model for the Cost Analysis of Wireless Access Architectures, A **3**, 5, 134-154
Modeling, directory-hosted network management **4**, 55-74
Modeling: capacity in CDMA systems **3**, 104-119; GPRS protocols for GSM **3**, 37-50
MOF *see* Managed object format
MONET *see* Multiwavelength Optical Networking
Monitoring: switch monitoring (SMON™) **4**, 42-54; remote monitoring (RMON) **4**, 42-53
Moore's Law **2**, 178
Morrison, Rick L. **1**, 282-299
MOS *see* Metal oxide semiconductor
MPC860 PowerQUICC* **1**, 295-296
MPLS *see* Multiprotocol label switching
MS *see* Management system
MSDT *see* Multi-Service Distant Terminal
MS-SPRING *see* Multiplex section-shared protection ring
Multicast video-on-demand load management **4**, 106
Multi-lingual capabilities, in AnyPath Unified Messaging System **2**, 85
Multimedia business communications networks, evolution of: converging network environment **2**, 22-23; endpoint and server access customer value **2**, 24; today's environment **2**, 22
Multimedia Communications Exchange (MMCX) **2**, 26, 27, 42
Multimedia services on the electronic superhighway (MESH) **2**, 57, 68-69
Multimedia services platform: architecture **2**, 60-65; initial approach and evolution **2**, 58-60; introduction **2**, 57-58; pilot experiences **2**, 68-69; software design **2**, 66-68
Multimedia solutions, circuit switching converged with advanced packet switching techniques **4**, 204-224
Multimedium **1**, 142
Multiplex section-shared protection ring **1**, 133-137
Multiplexer(s), for broadband fiber access **1**, 292, 295
Multiprotocol label switching (MPLS) **3**, 56 **4**, 10
Multi-purpose Internet mail extension (MIME) **2**, 83-84
Multi-Service Distant Terminal (MSDT) **2**, 102
Multi-User Microelectromechanical (MEMS) Process (MUMPS) foundry **1**, 183
Multi-vendor network management **4**, 225-236
Multiwavelength Optical Networking (MONET) **1**, 145, 151, 153, 272, 277
Multiwavelength Optical Networking (MONET) Consortium **1**, 145, 147, 149, 196, 222
Multiwavelength Optical Networking (MONET) Consortium pillars: interoperability **1**, 149; massive aggregate capacity **1**, 149; reconfigurability **1**, 149; scalability **1**, 149; transparency **1**, 149
Multiwavelength Optical Networking (MONET) enabling technologies: CLIP bundling **1**, 161; optical backplane **1**, 159; optical monitoring **1**, 159-160; passive optical modules **1**, 160; solid-state optical switches **1**, 157; wavelength selectable laser **1**, 159
Multiwavelength Optical Networking (MONET) Lucent network element features: capacity **1**, 151; communications/control interfaces **1**, 152; compatibility **1**, 154; configuration **1**, 153-154; cross connection **1**, 154; installation/test **1**, 153; maintenance **1**, 154; memory administration **1**, 154; optical monitoring **1**, 154; provisioning **1**, 154; transmissions interfaces **1**, 151
Multiwavelength Optical Networking (MONET) WSXC/WADM architecture: control architecture **1**, 157; monitoring points **1**, 157; physical design **1**, 155; transmission architecture **1**, 156
MUMPS *see* Multi-User Microelectromechanical (MEMS) Process
Murti, Kamala P. **2**, 197-208
MyNetWorks offer **2**, 13

N

NACK *see* Negative acknowledgment
Nagarajan, Ramesh **1**, 19-41
Nanda, Sanjiv **3**, 19-36
Nanke, Trent R. **1**, 282-299
Nanoscale transistor **4**, 273
National Security Agency **1**, 145
Natural language understanding (NLU) **2**, 7, 88
Naval Research Laboratory **1**, 145
NBM *see* Nodal bandwidth manager
NC&M *see* Network control and management
NCI *see* Noncompliant client interface
NCP *see* Network control protocol
NE *see* Network element
NEA *see* NetCare® Expert Assistant
NEC 1-terabit/s experiments **1**, 233, 236, 238
Negative acknowledgment **3**, 40-50
Nelson, Bruce L. **1**, 163-186
NetCare® Expert Assistant (NEA), troubleshooting tool **4**, 232
NetCare® Expert System, Lucent Technologies' automated troubleshooting tool **4**, 227, 231-232
NetCare® Network Management Services (NMS) **4**, 5, 19
NetCare® Network Management Services (NMS), managing multi-vendor networks: architecture for growth **4**, 234-235; introduction **4**, 225-226; making the right choices **4**, 234; NetCare NMS tools architecture **4**, 226-233; summary **4**, 235
NetCare® Network Management Services—Managing Multi-Vendor Networks **4**, 19, 225-236
NetCounter **4**, 19
NetCounter network probe: architecture **4**, 241-246; introduction **4**, 237-239; performance **4**, 246-248
NetViz system **4**, 19
Network architecture: China **1**, 125-144; evolution **2**, 174-180; layering and partitioning **1**, 130-132; Lucent Softswitch-based **2**, 180-189
Network control and management **1**, 149, 151
Network control protocol (NCP) **3**, 65-66
Network element **1**, 145, 147-148
Network element management architecture for the 7 R/E™ Trunk Access Gateway (TAG): 7 R/E™ toll/tandem applications **4**, 206-210; conclusion **4**, 222; element agent software architecture **4**, 215-222; introduction **4**, 204-206; TAG capabilities in the packet gateway **4**, 210-211; TAG Element Management System (EMS) **4**, 211-215
Network Element Management Architecture for the 7 R/E™ Trunk Access Gateway **4**, 19, 204-224
Network environment: development of integrated network architectures **4**, 9; need for higher bandwidth and differentiated services **4**, 10
Network file system (NFS) **2**, 147
Network maintenance **1**, 11-12
Network management (Q, CMISE, CORBA*) **1**, 137-138
Network Management Services (NMS) tools, layered approach **4**, 228-233
Network management system (NMS) **4**, 3, 7, 43-44, 47-48, 50, 76-77, 84, 87, 157-164
Network management system (NMS) solution for voice and data networks, diverse and converged: benefits to service providers **4**, 191-192; inter-

domain architecture **4**, 193-200; introduction **4**, 190-191; synergy with other operations system applications **4**, 200-201; summary **4**, 201
Network management system (NMS): key components of **4**, 7; management information and knowledge system **4**, 8; management information exchange protocols **4**, 9
Network Management System Solution for Diverse and Converged Voice and Data Networks, A **4**, 18, 190-203
Network management, cellular **3**, 120-133
Network management, NetCare® Network Management Services (NMS) **4**, 225-236
Network management: directory hosted **4**, 55-75; of the management communications network **4**, 155-170; policy-based **4**, 75-94, 95-108; switch monitoring (SMON™) **4**, 42-54; traditional **4**, 76-77
Network Management: Emerging Trends and Challenges **4**, 3-22
Network management: evolution of **4**, 3; functions **4**, 6-7; layers **4**, 6, 7; meeting convergent network requirements **4**, 16; meeting distributed network requirements **4**, 14-16; meeting intelligent agent requirements **4**, 16; meeting policy-based requirements **4**, 16; new requirements **4**, 14; practical vision for **4**, 14; trends and techniques **4**, 16-19
Network operators *see* Service providers
Network survivability **1**, 136
Network survivability schemes: 1 + 1 optical protection switching **1**, 13; more complex optical layer protection switching **1**, 13; optical cross connects **1**, 13
Network/service anomaly detector (NSAD) for IP networks: algorithms **4**, 26-33; introduction **4**, 23-26; system architecture and platform implementation **4**, 33-37; test results **4**, 37-39
Networking security profile, vulnerability scans: general **4**, 258-259; goodness of fit to the Poisson distribution **4**, 261-262; Lucent's intranet **4**, 260-261; root causes and mitigation strategy **4**, 262; types of high-risk networking vulnerabilities **4**, 262
Networking vulnerabilities in the TCP/IP environment **4**, 254-257
Networks, in China **1**, 125-144
Newbury, Mark E. **3**, 104-119
Newton, Curtis J. **1**, 3-18
Next-generation network services, unified messaging in **2**, 71-87
Next-generation optical transport networks, critical factors in cost/functionality tradeoffs: analog network engineering **1**, 9-10; interoperability **1**, 13-15; network maintenance **1**, 11-12; network survivability **1**, 12-13; service transparency **1**, 10-11
Next-generation private branch exchange (PBX) **2**, 43-56
NFS *see* Network file system
Nguyen, Mai-Huong **2**, 153-173
Nichols, John M. **3**, 181-190
Nichols, Virginia L. **1**, 145-162
Nissenbaum, Henry D. **4**, 17, 55-74
NLU *see* Natural language understanding
NMS *see* Network Management Services or network management system
NNM *see* HP OpenView* Network Node Manager
Nodal bandwidth manager (NBM): architecture **1**, 25, 39-40; general **1**, 19-41; system **1**, 28-29, 33-37, 39
Node architecture **1**, 133-134
Node failure and determination of reachability **4**, 157-164
Noncompliant client interface **1**, 147, 149, 151-153
Nonzero dispersion fiber (NZDF) **1**, 247-248, 251-252, 257-260
NRL *see* Naval Research Laboratory
NSA *see* National Security Agency
NSAD *see* Network/service anomaly detector
NTT 1-terabit/s experiments **1**, 233, 235-237, 241
NZDF *see* Nonzero-dispersion fiber

O

O'Brien, Stephen A. **2**, 88-97
OA *see* Optical amplifier
OADM *see* Optical add/drop multiplexer
OAM *see* Operations, administration, and maintenance
OAM&P, Policy server for Lucent Softswitch **2**, 190-192
OAP *see* Optical applications pack
OBI *see* Optical beat interference
Object identifier (OID) **4**, 43, 60, 63-64, 66
Object Management Group (OMG) **3**, 120, 130-133
Object Management Group (OMG) Internet Inter-ORB protocol (IIOP*) **3**, 131-132
Object model **4**, 55-74
Object request broker (ORB) **3**, 130-131
Objective function **4**, 96-108
Object-oriented management **3**, 120-133 **4**, 55-74
OC *see* Optical carrier
OCP *see* Optical-line and controller pack
Octel Messaging unit **2**, 81, 86
Octel voice mail networking protocol **2**, 83
OHG *see* Operators Harmonization Group
OID *see* Object identifier
OMG *see* Object Management Group
OneVision® enterprise management capabilities **2**, 27
ONG *see* Optical Networking Group
On-premises networks: data **2**, 22; voice **2**, 22
ONU *see* Optical network unit
Opaque network **1**, 140
Open computing, in IP Exchange systems **2**, 43-56
Open shortest path first (OSPF) **4**, 83, 89
Open Systems Interconnection (OSI) **2**, 147 **3**, 122-123, 126-131 **4**, 43, 157, 166
OpenLDAP **4**, 59
OpenView* Network Node Manager (NNM), Hewlett-Packard **4**, 227, 229, 232
Operating system security profile, identification and mitigation of vulnerabilities: general **4**, 262-265; operating system vulnerability findings **4**, 265; servers versus workstations for networking **4**, 266; servers versus workstations for operating systems **4**, 265-266; summary of Phase II findings **4**, 266-267
Operating system vulnerabilities in the UNIX* and Windows NT* platforms **4**, 254-257
Operations networks, SONET/SDH **4**, 136-154
Operations, administration, and maintenance (OA&M) **1**, 12
Operators Harmonization Group (OHG) **3**, 6-18
Optical add/drop multiplexer (OADM) **1**, 4, 6, 139-140, 163, 176-177, 179-185
Optical amplifier: amplifier control **1**, 201-202; applications **1**, 189-190; dynamic control **1**, 193-200; fundamentals **1**, 188-189; gain flatness **1**, 201; general **1**, 5, 209, 251, 300, 304-306, 310-314, 316-317, 320; introduction **1**, 187-188; noise figure and output power **1**, 200; optical signal-to-noise ratio **1**, 200; performance monitoring and fault location **1**, 202; wideband gain **1**, 190-193
Optical applications pack (OAP) **2**, 122-123
Optical beat interference (OBI) **1**, 309, 314, 318-319
Optical carrier (OC) signal rate standard **1**, 286
Optical components, for broadband fiber access **1**, 291-292, 296
Optical cross connect (OXC) architectures: general **1**, 262-263, 265-274; layered architectures **1**, 272-273; with strictly nonblocking switch fabrics **1**, 273
Optical cross connect (OXC), optical networking: architectures **1**, 271-273; evolution to optical networking **1**, 263-269; features and applications **1**, 269-271; introduction **1**, 262-263; OXC summary **1**, 280; switch fabric technology options **1**, 273-279; switch technology summary **1**, 279
Optical cross connect (OXC), role of, in wavelength division multiplexed (WDM) optical networks, **1**, 262-281
Optical cross connect **1**, 4, 7, 10, 13, 139-140

Optical Cross Connects for Optical Networking **1**, 262-281
Optical Fiber Amplifiers for WDM Optical Networks **1**, 187-206
Optical fiber networks, China **1**, 125-144
Optical fiber: nonlinearities **1**, 253-254; properties **1**, 246-250; requirements for optical networking **1**, 252-253; types **1**, 250-252
Optical Fibers for Optical Networking **1**, 246-261
Optical Network Design and Restoration **1**, 58-84
Optical network switch fabric technology options: beam-steering approaches **1**, 278-279; general **1**, 273-274; loss budget **1**, 274-277; thermooptic switches **1**, 278; waveguide switches **1**, 277-278; waveguides for OXC switching **1**, 278
Optical network unit (ONU) **2**, 17, 102, 122-124
Optical Networking Group (ONG), Lucent Technologies **1**, 19-41
Optical networking, evolution to: cross-connect system **1**, 265; layered bandwidth management **1**, 265-269; line system (1995 to present) **1**, 263-265
Optical networking, Internet protocol (IP), protocols and architectures **1**, 105-124
Optical networking, metropolitan: introduction **1**, 163-165; market **1**, 165-168; metro access rings **1**, 183-185; metro interoffice (IOF) ring node architecture **1**, 176-183; optical transport network considerations **1**, 171-176; ring architectures **1**, 168-171; summary **1**, 185
Optical networking, optical cross connects (OXCs): architectures **1**, 271-273; evolution to optical networking **1**, 263-269; features and applications **1**, 269-271; introduction **1**, 262-263; OXC summary **1**, 280; switch fabric technology options **1**, 273-279; switch technology summary **1**, 279
Optical spectrum analyzer **1**, 159-160
Optical translator unit **1**, 147
Optical transport network **1**, 3, 9, 10, 11, 14-15
Optical transport network considerations: benefits summary **1**, 176; data applications **1**, 173-174; emerging markets case, Asia/Pacific region **1**, 174-176; strategies for fast restoration of DWDM traffic **1**, 171-173
Optical-line and controller pack (OCP) **2**, 122-123
Optimization, network survivability **4**, 162-164
Optimization: CDMA systems with added carriers **3**, 104-119; transmissions in GPRS **3**, 37-50
ORB *see* Object request broker
OSA *see* Optical spectrum analyzer
OSI *see* Open Systems Interconnection
OSPF *see* Open shortest path first
OTN *see* Optical transport network
OTU *see* Optical translator unit
Overview **3**, 3-5
OXC *see* Optical cross connect and optical add/drop cross connect

P

Packet gateway, Trunk Access Gateway (TAG) capabilities **4**, 210-211
Packet intelligent peripheral, **2**, 184, 186, 188-189, 193
Packet mapping **1**, 163
Packet networks, high speed **1**, 85-104
Packet over synchronous optical network (SONET) protocol stack **1**, 85
Packet routing **4**, 95-108
Packet switching techniques, advanced, in converged multimedia solutions **4**, 204-224
PacketStar™ Gateway Solution *see* 7 R/E™ toll/tandem solution (TTS)
PacketStar™ IP Services Platform **2**, 174
PacketStar™ Voice Gateway *see* 7 R/E™ Trunk Access Gateway
PacketStar™ AC60/120 multiservice ATM switch **2**, 33, 42
Pagebuilder, MediaXact™ **2**, 159-165, 168-169
Panda, Manas R. **4**, 171-189
PAP *see* Password authentication protocol
PAR *see* Positive acknowledgment retransmission
Parker, Martin F. **2**, 6, 71-87
Passive optical network (PON) **1**, 140-141, 300-301, 303-307, 309, 312-313, 317-318, 320 **2**, 17, 125
Password authentication protocol (PAP) **3**, 53, 65, 67
Patel, Sunita H. **1**, 262-281
Path hunt algorithm in server selection **2**, 203
PathStar™ Access Server **2**, 83-84, 101, 105, 124, 150-152
PBX *see* Private branch exchange
PCS *see* Personal communications system
PDH *see* Plesiochronous digital hierarchy
PDU *see* Protocol data unit
Performance Analysis of Switch Access Systems **2**, 14, 197-208
Performance analysis, switch access systems: analytical model **2**, 198-202; conclusion **2**, 205-207; general **2**, 197; introduction **2**, 197-198; results **2**, 203-205; simulation model **2**, 202-203
Performance degradation and failure, transport networks **1**, 105
Performance management **4**, 167-168
Personal communications systems (PCS), trunk management **3**, 120-133
Phone Networking Association **2**, 4, 5
Photoresist **3**, 155, 161, 164-167
PHY *see* Physical layer
Physical layer (PHY), for broadband fiber access **1**, 292-296
PIB *see* Policy information base
Pike, Rob **2**, 12, 146-152
Pittampalli, Eshwar **3**, 6-18
Plan 9® operating system **2**, 146-148, 150, 152
Plasma etching **3**, 155-171
Plasma sources **3**, 155-170
Platform(s): AnyMedia® Access Interface Platform (AIP) **2**, 98-127; MediaXact™ electronic commerce software **2**, 153-173
Platform-centered management for cellular systems **3**, 122-123
PLATINUM project **2**, 57-58, 69
Plesiochronous digital hierarchy (PDH) **1**, 22, 59, 126-129, 167, 169
PMD *see* Polarization mode dispersion
PNA *see* Phone Networking Association
PNC *see* Port network connectivity
Point-to-point protocol (PPP) **3**, 53, 57, 63-68, 70-71
Point-to-point tunneling protocol (PPTP) **3**, 51
Polarization mode dispersion (PMD) **1**, 248-250
Pole point, in CDMA system capacity **3**, 113-118
Policy decision point **4**, 87
Policy enforcement point **4**, 87
Policy information base (PIB) **4**, 86-87
Policy server, Lucent Softswitch **2**, 190-192
Policy-Based Management for IP Networks **4**, 17, 75-94
Policy-Based Network Load Management **4**, 18, 95-108
Polymer **3**, 155, 161, 165
PON *see* Passive optical network
POP3 *see* Post office protocol, version 3
Port network connectivity (PNC), enhanced **2**, 21
Portable operating system Interface for UNIX* (POSIX) **4**, 101
PortAuthority™ RADIUS server family **4**, 85-86
Port-copy operation **4**, 47-49, 52
PortMaster® remote access server **4**, 86
Positive acknowledgment retransmission (PAR) **2**, 131
POSIX *see* Portable operating system Interface for UNIX*
Post office protocol, version 3 (POP3) **2**, 83-84
Power requirements in CDMA systems **3**, 104-119
PowerPC* **1**, 296
PowerQUICC* **1**, 295-296
PPP *see* Point-to-point protocol
PPTP *see* Point-to-point tunneling protocol
PRA *see* Primary rate access
Practical Vision for Optical Transport Networking, A **1**, 3-18
Pretyka, William W. **4**, 190-203
PRI *see* Primary rate interface
Primary rate access (PRA) **2**, 96
Primary rate interface (PRI) **2**, 96

Project Saras **2**, 174, 179-180, 195
Proposal for EGPRS Radio Link Control Using Link Adaptation and Incremental Redundancy, A **3**, 3, 19-36, 192
Protection of networks *see* MS-SPRING and SNCP
Protocol data unit (PDU) **1**, 85-104
Protocols and Architectures for IP Optical Networking **1**, 105-124
PSTN *see* Public switched telephone network
Public switched telephone network (PSTN) **2**, 128-129, 132-135, 144 **4**, 3, 9
Pulse code modulation (PCM): data channel **2**, 210-213; highways **2**, 108-110, 121, 123
Purchase order approval, with MediaXact™ System **2**, 170
Puseljic, Danilo L. **4**, 190-203
Push and pull communication, information flow within an organization **3**, 172-180

Q

Q.931 protocol **2**, 182-183, 186-188, 193
Q.2931 protocol **2**, 38, 58-59, 182, 186, 188
Q/Q3 *see* Network management
QIP® Enterprise servers **4**, 85-86, 92
QoS *see* Quality of service
Quality of service (QoS): AnyMedia® Access System **2**, 115-116; general **1**, 21-23, 105, 112, 120-121, 173 **2**, 45, 57-58, 62-65, 68 **3**, 4 **4**, 78, 80, 90-91, 95, 167, 168; management procedures **1**, 85-86, 90, 102; mechanisms **2**, 23; wireless networks **3**, 55-56
Qureshi, M. Akber **1**, 85-104

R

RAC *see* Ruby Asset Center
Radio link control (RLC) **3**, 3, 19-36, 37-50
Radio link protocol (RLP) **3**, 3, 19-20
Radio transmission technology (RTT) **3**, 3
RADIUS *see* Remote authentication dial-in user service
Rain availability study, impact on economics of local multipoint distribution service (LMDS) in wireless access networks **3**, 144-154
RAIU *see* Access interface unit, remote
RAP *see* Resource allocation protocol
Rapid development, DEFINITY® ProLogix™ solutions: commitment **3**, 182; communications **3**, 188-189; conclusion **3**, 190; hardened requirements **3**, 183; introduction **3**, 181; market segment focus **3**, 181-182; rapid development **3**, 182-188; reuse of existing components **3**, 183-185; teamwork and motivation **3**, 189-190; vendor partnerships **3**, 185-188
RBS *see* Robbed bit signaling
Reachability, algorithms for **4**, 158-164
Reactive ion etcher **3**, 158-159, 168-169
RealNet™ Rules enterprise policy manager **4**, 86, 91
Real-Time IP Facsimile: Protocol and Gateway Requirements **2**, 12, 128-145
Real-time multimedia network elements, in Lucent products **2**, 21
Real-Time Performance Monitoring and Anomaly Detection in the Internet: An Adaptive, Objective-Driven, Mix-and-Match Approach **4**, 16, 23-41
Real-time protocol (RTP) **2**, 44, 52, 128, 130 **4**, 10
Real-time streaming protocol (RTSP) **2**, 170
Real-time transport protocol (RTP) **2**, 179, 182-184, 188, 193
Recent Lucent Technologies Patents **1**, 324-335 **2**, 220-230 **3**, 193-204 **4**, 275-292
Refi, James J. **1**, 246-261
Remote authentication dial-in user service (RADIUS) **3**, 53-54, 60, 63-64, 66, 68 **4**, 82, 83, 85, 90, 239-240, 242, 246, 249
Remote method invocation (RMI) **4**, 58, 61-62, 71
Remote monitoring (RMON) **4**, 23-24, 26-30, 33-35, 38-39, 42-53, 184, 241
Remote switch unit (RSU) **1**, 140-141
Residential broadband services overlay **1**, 286-287
Resource allocation protocol (RAP) **4**, 86
Resource reservation protocol (RSVP) **3**, 56 **4**, 83, 91
Restoration, optical network **1**, 58-84
Retransmissions in General Packet Radio Service **3**, 37-50
Reusable Management Frameworks for Third-Generation Wireless Networks **4**, 18, 171-189
RIE *see* Reactive ion etcher
Rijsman, Bruno W. A. **4**, 136-154
Ritchie, Dennis M. **2**, 12, 146-152
RLC *see* Radio link control
RLP *see* Radio link protocol
RMI *see* Remote method invocation
RMON *see* Remote monitoring
Robbed bit signaling (RBS) **2**, 209-213
Robust SONET/SDH management networks, large, engineering **4**, 136-154
Rodriguez-Moral, Antonio **1**, 105-124
Roles concept in policy management **4**, 83
Romascanu, Dan **4**, 17, 42-54
Routing of packets **4**, 95-108
Royer, Randolph A. **4**, 95-108
RSU *see* Remote switch unit
RSVP *see* Resource reservation protocol
RTP *see* Real-time protocol and real-time transport protocol
RTSP *see* Real-time streaming protocol
RTT *see* Radio transmission technology
Ruby Asset Center (RAC) **4**, 171, 173-184, 188
Runyon, James P. **1**, 282-299

S

Saltzberg, Burton R. **2**, 3-20
Samadi, Behrokh **2**, 197-208
Sapphire gateway control protocol **2**, 183, 185, 188
Saras *see* Project Saras
SBS *see* Stimulated Brillouin scattering
Scanlon, Eben L. **4**, 237-251
Schnidrig, Christian **2**, 153-173
SCM *see* Subcarrier multiplexing
SDBAS *see* Switched Digital Broadband Access System
SDH *see* Synchronous digital hierarchy
SDL *see* Simple data link or simplified data link
Seamless messaging, in the AnyPath Unified Messaging System **2**, 71
Seamless spatial browsing **2**, 9
Second-generation (2G) radio transmission technology **3**, 6-18
Secure Internet protocol (IPSEC) **3**, 51, 53-55, 58-62, 65, 70
Secure socket library (SSL) **2**, 56
Security management **4**, 168
Security vulnerabilities, cyber, managing in large networks **4**, 252-272
Selective layered bandwidth management (SLBM) **1**, 19-41
Self-phase modulation (SPM) **1**, 253-254, 256
Server farm **4**, 95-108
Server selection, path hunt algorithm in **2**, 203
Service level agreement (SLA) **4**, 5-6
Service provider and enterprise messaging requirements, differences between **2**, 73
Service provider financial goals, in AnyPath Unified Messaging System **2**, 71
Service provider gateways, Lucent Technologies: PacketStar™ Gateway 1000 (PM4) **2**, 50; ITS-SP (Internet telephony server, service provider) **2**, 50
Service provider servlet, Lucent Softswitch **2**, 189-194
Service providers: China Telecom **1**, 125, 130; Unicom **1**, 130
Service transparency **1**, 10-11
Servlet, Lucent Softswitch service provider **2**, 189-194
Session initiation protocol (SIP) **2**, 178, 182-184, 188, 190-191
Shafie-Khorasani, Reza **4**, 190-203
Shankar, Ravi V. **4**, 18, 155-170
Shared management knowledge (SMK) **4**, 8
Shelf, AnyMedia® Access System **2**, 107-116
Shopping cart **2**, 170
Short message service (SMS) **2**, 83-84
Short-holding-time (SHT) traffic in switch access systems **2**, 203-207
SHT *see* Short holding time
Shu, Houshing F. **4**, 95-108
Sierra® product lines, in AnyPath Unified Messaging System **2**, 85

Signaling System 7 (SS7) **2**, 83-84, 96, 177-194 **3**, 54 **4**, 185
Silberschatz, Avi **4**, 237-251
Simple data link (SDL) frame formats and procedures: HDLC and SDL mapping over synchronous optical network (SONET)/synchronous digital hierarchy (SDH) **1**, 92-93; HDLC framing of point-to-point (PPP)-encapsulated datagrams **1**, 89-90; SDL frame format and functions **1**, 90-92
Simple data link (SDL) operation: general **1**, 93-94; hunt state **1**, 94; pre-sync state **1**, 94-95; sync state **1**, 95
Simple data link (SDL) performance and efficiency: link efficiency **1**, 100; link synchronization loss **1**, 98; other link processing considerations **1**, 100; resynchronization delay **1**, 99-100
Simple data link (SDL) protocol **1**, 85-104, 111-112, 116, 123
Simple data link (SDL) protocol, in high-speed networks: conclusions **1**, 102; data link configuration **1**, 100-102; design considerations **1**, 87-89; frame formats and procedures **1**, 89-93; introduction and motivation **1**, 85-87; link scramblers **1**, 95-98; performance and efficiency **1**, 98-100; SDL operation **1**, 93-95
Simple Data Link Protocol for High-Speed Packet Networks, A **1**, 85-104
Simple mail transport protocol (SMTP) **2**, 81, 83-84
Simple network management protocol (SNMP) **2**, 50, 83-84, 150-151 **3**, 120, 122 **4**, 8, 25-28, 34-35, 38, 42-44, 47-48, 52-53, 55-74, 79, 82, 84-88, 111, 113-116, 126, 130-132, 171, 175, 179-180, 185-188, 241, 249
Simulations of call blocking in a CDMA system **3**, 104-119
Single login **4**, 90
Single-mode fiber *see* Fiber, single mode
SIP *see* Session initiation protocol
SLA *see* Service level agreement
Slade, David M. **4**, 252-272
SLBM *see* Selective layered bandwidth management
SLC® ClearReach™ Data Enhancement **2**, 209-213, 216
SLC® ConnectReach™ voice/data integrator **2**, 213-216
SLC® Series 5 Carrier System **2**, 102, 112
SLC®-2000 Access System **2**, 102, 112, 209-217
SLC®-96 subscriber loop carrier **2**, 102
Small office/home office (SOHO): broadband fiber access for **1**, 286-287; market segment **2**, 82
SMF *see* Fiber, single mode
SMI *see* Structure of Management Information
SMK *see* Shared management knowledge
SMONMaster® enterprise and device applications **4**, 50, 53
SMON™ *see* Switch monitoring
SMON™ white paper **4**, 53
SMS *see* Short message service
SMTP *see* Simple mail transport protocol
SNCP *see* Subnetwork connection protection
SNMP *see* Simple network management protocol
SOCK_PACKET **4**, 102
Softswitch, Lucent Technologies **2**, 174-195
Software switch **2**, 174-195
Software: AnyMedia® Access System **2**, 116-119; electronic commerce **2**, 153-173; Lucent Technologies Softswitch **2**, 174-195; MediaXact™ System **2**, 153-173; SLC® ClearReach™ Data Enhancement **2**, 209-213, 216
SOHO *see* Small office/home office
Solaris* 7 platform **4**, 34
SONET *see* Synchronous optical network
SONET/SDH *see* Synchronous optical network/synchronous digital hierarchy
Sparks, Kevin A. **1**, 3-18
Spector, Magaly **1**, 207-229
Speech technology: implementation **2**, 94-96; introduction **2**, 88-89; Lucent Intelligent Assistant (Lucy) **2**, 89-91; natural speech recognition **2**, 91-94
Speech-Based Services **2**, 7, 88-97
Spencer, Douglas A. **2** 21-42
SPM *see* Self-phase modulation
Sripad, Anekal B. **4**, 136-154
Srivastava, Atul K. **1**, 187-206
SRS *see* Stimulated Raman scattering
SS7 *see* Signaling System 7
SSL *see* Secure socket library
Stevens, Mark L. **4**, 17, 75-94
Stiles, J. Anthony **1**, 300-322
Stimulated Brillouin scattering (SBS) **1**, 253
Stimulated Raman scattering (SRS) **1**, 253
STM *see* Synchronous transfer mode and synchronous transport module
Streaming, of media in MediaXact™ System **2**, 170
Structure of Management Information (SMI) **4**, 43
Styx® Architecture for Distributed Systems, The **2**, 12, 146-152
Styx® architecture: architectural approach **2**, 148-151; introduction **2**, 146-147; protocol **2**, 147-148; security issues **2**, 151
Styx® communications network software **2**, 191-192
Subcarrier multiplexing (SCM) **1**, 307-308, 320
Subnetwork connection protection **1**, 133-137
Sugla, Binay **4**, 3-22
Sulhoff, James W. **1**, 187-206
Sumner, Eric E., Jr. **2**, 88-97
Sun Microsystems **2**, 86
Sun* network file system (NFS) **2**, 147
Sun* workstation **1**, 151
Sun, Yan **1**, 187-206
Sunada-Wong, Carol Y. **1**, 19-41
Switch access systems, performance analysis: analytical model **2**, 198-202; conclusion **2**, 205-207; general **2**, 197; introduction **2**, 197-198; results **2**, 203-205; simulation model **2**, 202-203
Switch fabric technology options, optical networks: beam-steering approaches **1**, 278-279; general **1**, 273-274; loss budget **1**, 274-277; thermooptic switches **1**, 278; waveguide switches **1**, 277-278; waveguides for OXC switching **1**, 278
Switch monitoring (SMON™): developments **4**, 42-54; enterprise applications **4**, 50-51; evolution **4**, 46-54; IETF SMON™ **4**, 48; InterfaceTopN proposal **4**, 51-52; SMON™-II **4**, 49-52
Switch Monitoring—The New Generation of Monitoring for Local Area Networks **4**, 17, 42-54
Switched Digital Broadband Access System (SDBAS) **2**, 103, 106
Switching and Access Solutions (SAS) Group, Lucent Technologies **3**, 172-180
Switching systems, traditional, engineering for a mix of traffic **2**, 197-207
Synchronous digital hierarchy (SDH) **1**, 23, 44, 46-47, 52-54, 56, 58-60, 62, 75, 79-81, 106, 113, 116-118, 121, 126-129, 262, 269, 280 **4**, 10-11
Synchronous digital hierarchy (SDH): example network **4**, 156, 158; network failure analysis **4**, 156-164
Synchronous optical network (SONET): example network **4**, 156, 158; general **1**, 44, 46-47, 52-54, 56, 58-60, 62, 75, 79-81, 210, 304-305, 310; network failure analysis **4**, 156-164; rings **2**, 41 **4**, 7, 10; technology **1**, 22-23, 26-29, 31, 33-35, 38-40, 106-118, 121, 123, 163, 165-166, 168-176, 262, 264, 267-270, 280
Synchronous optical network/synchronous digital hierarchy (SONET/SDH) management networks, large, engineering: conclusions **4**, 152-153; introduction **4**, 136-138; making the operations network more robust **4**, 143-147; operations network **4**, 138-141; stress reduction in **4**, 141-143; testing large SONET/SDH operations networks **4**, 147-152
Synchronous optical network/synchronous digital hierarchy (SONET/SDH) **1**, 4, 8, 11, 13
Synchronous transfer mode (STM): general **1**, 23, 28, 34, 40; switch fabric **1**, 42, 50-52
Synchronous transport module (STM) signal rate standard **1**, 286

T

T.38 protocol **2**, 43
T1 Integrator* **2**, 214
TAG *see* Trunk Access Gateway
Tags, MediaXact™ software **2**, 159, 163-167, 169, 172
Tampa Bay NetCare® Services Center (TBNSC) **4**, 226
Tan, Hai **4**, 109-135
Tarallo, Joseph A. **3**, 3-5
Tardy, John **2**, 98-127
TAS *see* Telephony application server
TBIA *see* Two-branch intelligent antenna
TBNSC *see* Tampa Bay NetCare® Services Center
TBP *see* ToolBox Pro
TCP *see* Transmission control protocol
TDM *see* Time division multiplexed and time division multiplexing
TDMA *see* Time division multiple access
Tebbs, Robert G. **2**, 12, 128-145
Telcordia Technologies **1**, 145, 150
Telcordia Technologies Generic Requirements, GR-1129 **2**, 83-84, 182, 193
Telecommunications Industry Association/Electronic Industries Association (TIA/EIA)-41 **2**, 83-84
Telecommunications information networking architecture (TINA) **2**, 58, 60
Telecommunications management network (TMN) **3**, 120, 128-131 **4**, 156, 167-168
Teledensity, China **1**, 125
Telephony application servers (TASs) **2**, 78-79, 81-82, 85
Tellium, Inc. **1**, 150
Telocator alphanumeric protocol (TAP) **2**, 83
Templates, MediaXact™ software **2**, 155-172
Terabit experiments: Bell Labs **1**, 233-234, 236, 238-239, 242; Fujitsu **1**, 233-235; general **1**, 230-245; NEC **1**, 233, 236, 238; NTT **1**, 233, 235-237, 241
Text to speech **2**, 7
Text to speech (TTS): components, in AnyPath Unified Messaging System **2**, 85; technology **2**, 88
Thermooptic switches **1**, 278
Third-generation (3G) wireless technology **3**, 6-18
Third-Generation CDMA Wireless Standards and Harmonization **3**, 3, 6-18
Third-generation CDMA wireless standards and harmonization: 2G standards **3**, 6-8; 3G standards activities, current state **3**, 8-17; introduction **3**, 6; recent activities **3**, 17-18; standards development schedule **3**, 17
Third-Generation Partnership Project (3GPP) **3**, 3, 9-18
Third-Generation Partnership Project 2 (3GPP2) **3**, 9-18
Third-party service creation, with Lucent Softswitch **2**, 181-182, 193-194
Thomson, David L. **2**, 88-97
Threads **4**, 101-105
Throughput in GSM **3**, 37-50
TI *see* Transport interface
TIA *see* Telecommunications Industry Association
Tignor, Thomas P. **4**, 190-203
Time division multiple access (TDMA) **3**, 19-20, 65, 73, 78-80, 82-92, 101-102, 192
Time division multiple access (TDMA), evolution to third-generation services **3**, 192
Time division multiplexed (TDM) technology **1**, 21-23, 107, 113-114, 116, 163, 165-168, 173, 183, 185, 264
Time division multiplexed networks **1**, 4-5, 8
Time-dependent dielectric breakdown **3**, 168-170
TINA *see* Telecommunications information networking architecture
Ting, Rulei **4**, 190-203
TMN *see* Telecommunications management network
Toll/tandem solution (TTS), 7 R/E™ **4**, 206-210
ToolBox Pro (TBP) application development environment **2**, 79-80, 85
Top-down switch monitoring **4**, 50-52
Traffic engineering guidelines for switches and switch access systems **2**, 197-198
Traffic monitoring **4**, 42-54
Transfer delay in GSM **3**, 37-50
Transformer coupled plasma source **3**, 158-160, 166
Transistors, manufacture of **3**, 155-171
Transmission control protocol (TCP) **2**, 58, 60, 62-65, 128, 131-132, 144, 148-149 **4**, 27-28, 35, 96, 97, 100, 103, 106, 113, 156-157, 166, 168, 242, 244-246
Transport interface **1**, 150
Transport network service availability **1**, 105
Transport networks, performance degradation and failure **1**, 105
Transversal compatibility **1**, 137
TrueWave®: RS fiber **1**, 246, 248, 250, 252, 257-260; XL fiber **1**, 246, 252, 256-257, 259 **2**, 219
Trunk Access Gateway (TAG) Element Management System (EMS) **4**, 204, 211-215
Trunk Access Gateway (TAG), 7 R/E™, network element management architecture for **4**, 204-224
Trunk Management in Cellular/PCS Networks **3**, 5, 120-133
Tsai, Jiann-an **3**, 73-103
Tsao, S. Lee **4**, 252-272
TTS *see* Text to speech
TTS *see* Toll/tandem solution
Two-branch intelligent antenna (TBIA) **3**, 73, 82-83, 88

U

UDP *see* User datagram protocol
Ufongene, Charles Mmaduka **3**, 134-154
UMTS *see* Universal Mobile Telecommunications System
UNI *see* User network interface
Unicom *see* United Communications
Unified messaging in next-generation network services: AnyPath design goals **2**, 77-78; AnyPath architecture **2**, 78-83; commitment to industry standards **2**, 83; defining unified messaging **2**, 72-75; industry alliances **2**, 86; introduction **2**, 71-72; physical elements in the AnyPath platform **2**, 85-86; software evolution **2**, 84-85; summary **2**, 86; working with the e-mail Internet portal providers **2**, 86
Unified Messaging—A Value-Creating Engine for Next-Generation Network Services **2**, 6, 71-87
Unified Modeling Language* (UML*) **3**, 120, 128-132
United Communications **1**, 130
Universal Mobile Telecommunications System (UMTS) **3**, 56 **4**, 171, 184, 188
University of Massachusetts **3**, 191
UNIX* computers in the Lucent Technologies intranet **4**, 253-272
UNIX* operating system **2**, 146-149, 152 **4**, 246, 253-272
Unruh, John D. **2**, 98-127
Uptegrove, Dirck **3**, 73-103
User datagram protocol (UDP) **2**, 44, 131-132, 134, 137, 140, 144 **3**, 64-65, 70 **4**, 27-28, 43, 96, 97,100,103, 113, 243-246, 248
User feature applet **2**, 189-190, 193-194
User network interface (UNI) **2**, 60
User-Level Billing and Accounting in IP Networks **4**, 19, 237-251
USF *see* Dispersion-unshifted fiber

V

Varma Eve L. **1**, 3-18
Vaudreuil, Gregory M. **2**, 71-87
vCard **2**, 74
Veeraraghavan, Malathi **1**, 105-124
Veritas NerveCenter* software **4**, 227, 229-231
Very large scale integrated circuits (VLSIs), plasma etching for **3**, 155-171
Video-on-demand load management **4**, 106
VINA Technologies **2**, 214
Virtual local area network (VLAN) **4**, 42, 46-50
Virtual private dial-up networking (VPDN) services **3**, 4, 51-72
Virtual stock room system **2**, 171-172
VLAN *see* Virtual local area network
VLSI *see* Very large scale integrated circuit
Voice and data networks, diverse and converged, network management system solution for: benefits to service providers **4**, 191-192; inter-domain

architecture **4**, 193-200; introduction **4**, 190-191; synergy with other operations system applications **4**, 200-201; summary **4**, 201
Voice and telephony over ATM (VTOA) **2**, 179, 181, 183, 185-186 **4**, 176-177
Voice networks, on-premises **2**, 22
Voice over Internet protocol (VoIP) **2**, 95, 124, 128, 130, 144 **4**, 176-177
Voice over packet technology **4**, 204-224
Voice/data integrators **2**, 213-216
VoIP *see* Voice over Internet protocol
VPDN *see* Virtual private dial-up networking
VPDN services *see* Virtual private dial-up networking services
VTOA *see* Voice and telephony over ATM
VxWorks*, in IP Exchange system **2**, 51

W

WADM *see* Wavelength add/drop multiplexer
WAMP *see* Wavelength amplifier
WAN *see* Wide area network
Wang, Yufei **1**, 58-84
Watermarking, in MediaXact™ System **2**, 170-171
Waveguide switches **1**, 277-278
WaveLAN® technology **2**, 5, 10
Wavelength add/drop multiplexer (WADM): components **1**, 220-225; functional and logical descriptions **1**, 210-215; introduction **1**, 207-210; scattering parameters **1**, 215-220
Wavelength add/drop multiplexer **1**, 145
Wavelength Add/Drop Multiplexer for Lightwave Communication Networks, The **1**, 207-229
Wavelength amplifier **1**, 145, 150
Wavelength division multiplexed (WDM) optical networks, role of optical cross connect (OXC) **1**, 262-281
Wavelength division multiplexed terminal multiplexer **1**, 5
Wavelength division multiplexing (WDM) **1**, 4, 6, 105, 113-121, 123, 145, 187-195, 200-202, 207-212, 217-218, 222, 224, 265, 268, 272-273, 278
Wavelength division multiplexing (WDM) versus TDM **1**, 129
Wavelength selective cross connect **1**, 145
Wavelength division-multiplexing passive optical network (WDM PON) **1**, 141
WaveStar™ 40G Express System **2**, 219
WaveStar™ advanced routing platform **1**, 47, 58
WaveStar™ BandWidth Manager (BWM): architecture **1**, 49-51; evolution toward ATM and IP **1**, 55-56; features and applications **1**, 51-55; general **1**, 19-20, 28, 40; overview and value proposition **1**, 42-49
WaveStar™ BandWidth Manager, The: The Key Building Block in the Next-Generation Transport Network **1**, 42-57
WaveStar™ OLS 400G **1**, 6, 146, 219
WaveStar™: 10G platform **1**, 27; Bandwidth Manager (BWM) **1**, 19-20, 28, 40; OLS 40G product **1**, 265-266, 268; OLS 400G product **1**, 32-33, 230, 262, 265-266, 268; optical line systems **1**, 42, 44, 188, 207
W-CDMA *see* Wideband code division multiple access
WDM PON *see* Wavelength-division-multiplexing passive optical network
WDM *see* Wavelength division multiplexing/multiplexed
WDM-TM *see* Wavelength division multiplexed terminal multiplexer
Web access module, MediaXact™ **2**, 159-161
Wei, Leping **1**, 125-144
Weiss, Walter J. **4**, 17, 75-94
Whang, Kevin K. W. **4**, 19, 204-224
Wide area network **1**, 146
Wideband code division multiple access (W-CDMA) **3**, 3
Wideband code division multiple access (W-CDMA) radio transmission technology **3**, 6-18
Wilson, Gordon C. **1**, 300-322
Wilson, Mark R. **1**, 19-41
Windows NT* computers in the Lucent Technologies intranet **4**, 254-272
Windows NT* operating system **4**, 34, 246
Windows NT* workstation **2**, 80
Windows NT*, in IP Exchange system **2**, 51
Windows* personal computer (PC) **2**, 80
Wireless access architectures, model for cost analysis: application case study **3**, 144-150; conclusions **3**, 150-151; derivation of cost functions **3**, 137-144; future work **3**, 151-152; introduction **3**, 134-136; modeling principle **3**, 136-137; sample results **3**, 152-154
Wireless communication **3**, 37-50, 104-119, 120-133
Wireless network management: introduction **4**, 171; Ruby Asset Center **4**, 173-184; software reuse **4**, 171-172; third-generation wireless networks **4**, 184-188
Wireless standards, code division multiple access (CDMA) and harmonization, third generation **3**, 6-18
Wireless: Airloop® **2**, 105-106; cost of access **2**, 105-106
Wong, Gerald G. **1**, 125-144
Wood, Thomas H. **1**, 300-322
WSXC *see* Wavelength selective cross connect

X

X Window System* **2**, 43
X.25 packet switching protocol **3**, 65
XML *see* Extensible Markup Language
XNAMI *see* Extensible Network and Application Management Instrumentation
XPM *see* Cross-phase modulation

Y

Yatchman, Michael J. **2**, 153-173
Yu, Hsien-Chuen **1**, 282-299

Z

Zeger, Linda M. **3**, 104-119
Zhou, Jianhui **1**, 187-206
Zilbershtein, Itai E. **4**, 17, 42-54
Zysman, George I. **3**, 3-5